Environment Impact Chemical Substance Lists

Effective December 1, 2023 (2.4 edition)

NIKON-TRIMBLE CO., LTD.

Table of Contents

I. Procurement Items	3
1. Prohibited Chemical Substances	3
Annex 1. Applications exempted from the RoHS Directive Annex III Annex 2. Applications exempted from the RoHS Directive Annex IV	32 39
Controlled Chemical Substances (1) Controlled Chemical Substances (2) SVHCs of REACH Regulation	43 43 50
Revision History	62

I. Procurement Items

I -1. Prohibited Chemical Substances

The following table shows the chemical substances prohibited to be contained in procured items (finished products, parts and materials, packaging materials) and their maximum allowable concentration (threshold values). If multiple thresholds are written in a single threshold field, all of them must be satisfied.

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
1	Cadmium/cadmium Compounds	•RoHS Directive 2011/65/EU •ANNEX XVII Entry 23 of REACH Regulation (EC) No 1907/2006	All except the below applications	0.01% by weight (100 ppm) of cadmium in homogeneous material	Pigment, anti-corrosion surface treatment, optical glass, stabilizer, plating, fluorescent, electrode, solder, electric contact, contact point, zinc plating plastic stabilizer
		•EU Directive 94/62/EC on Packaging and Packaging Waste •US State Toxics in Packaging (TPCH Model Legislation)	Packaging materials	• Intentionally added ⁽¹⁾ • 0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material	Pigment, paint, plastic stabilizer
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	• Clothing or related accessories • Textiles • Footwear	0.0001% by weight (1 ppm) of cadmium in homogeneous material	Pigment, dye
		•EU Batteries Regulation (EU)2023/1542 •Korea "Quality Management and Industrial Products Safety Management Enforcement Ordinances"	Zinc–carbon batteries, alkaline manganese batteries, and nickel–metal hydride (Ni-MH) secondary batteries (except Button cells)	0.001% by weight (10ppm) of cadmium in a battery	
		•Taiwan Waste Disposal Act (Regulation on heavy metal)	Batteries, other than the batteries listed above (except for emergency and alarm systems, including emergency lighting, and medical equipment)	0.002% by weight (20ppm) of cadmium in a battery	
		"Applications exempted exempted from the Rol	the RoHS Directive (20 If from the RoHS Directi HS Directive Annex IV". ted dates of delivery to I	ve Annex III" and Ann	ex 2 "Applications
		Representative examp	les of relevant substanc	е	
		Substance name			CAS No.
		Cadmium			7440-43-9
		Cadmium oxide			1306-19-0

No.	Substance/	Key Legal and Regulatory	Application(s)	Threshold Level	Examples of Use
	Category	or Industry Standard	Application(s)	Tillesiloid Level	·
1	Cadmium/cadmium	Cadmium sulfide			1306-23-6
	Compounds (continued)	Cadmium chloride			10108-64-2
	(oontinuou)	Cadmium sulfate			10124-36-4
		Cadmium fluoride			7790-79-6
2	Chromium VI	RoHS Directive	All except the below	0.1% by weight	Pigment, paint,
	Compounds	2011/65/EU	applications	(1,000 ppm) of chromium VI in homogeneous material	ink, catalyst, plating, anticorrosion surface treatment, dye
		ANNEX XVII Entry 47 of REACH Regulation (EC) No 1907/2006	Leather articles or articles containing leather parts coming into contact with the skin	0.0003 % by weight (3ppm) of the total dry weight of the leather	Tanning agent for leather goods
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of chromium VI in homogeneous material	Pigment, dye
		•EU Directive 94/62/EC on Packaging and Packaging Waste •US State Toxics in Packaging (TPCH Model Legislation)	Packaging materials	•Intentionally added ⁽¹⁾ •0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material	Pigment, paint, plastic stabilizer
		"Applications exempte exempted from the Ro In principle, the prohibi the expiration dates of	the RoHS Directive (20 d from the RoHS Direct HS Directive Annex IV" ited dates of delivery to exemption.	ive Annex III" and An Nikon-Trimble will be	nex 2 "Applications one year before
		Substance name			CAS No.
		Chromium (VI) oxide			1333-82-0
		Barium chromate			10294-40-3
		Calcium chromate			13765-19-0
		Lead (II) chromate			7758-97-6
		Lead chromate molybd			12656-85-8
		Lead sulfochromate yel	llow		1344-37-2
		Sodium chromate			7775-11-3
ļ					10588-01-9
i		Sodium dichromate			7700 00 0
		Strontium chromate			7789-06-2
		Strontium chromate Potassium dichromate			7778-50-9
		Strontium chromate Potassium dichromate Potassium chromate			7778-50-9 7789-00-6
		Strontium chromate Potassium dichromate Potassium chromate Zinc chromate	tahudravida		7778-50-9 7789-00-6 13530-65-9
		Strontium chromate Potassium dichromate Potassium chromate Zinc chromate Pentazinc chromate oc			7778-50-9 7789-00-6 13530-65-9 49663-84-5
		Strontium chromate Potassium dichromate Potassium chromate Zinc chromate Pentazinc chromate oc	oxodizincatedichromate		7778-50-9 7789-00-6 13530-65-9

110	Prohibited Chemical Substances (continued)				
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
3	Lead/lead compounds	RoHS Directive 2011/65/EU	All except the below applications	0.1% by weight (1,000 ppm) of lead in homogeneous material	Rubber hardener, pigment, paint, lubricant, plastic stabilizer, freemachining
		ANNEX XVII Entry 63 ⁽¹¹⁾ of REACH Regulation (EC) No 1907/2006	Articles or accessible parts thereof which may be placed in the mouth by children	0.05% by weight (500 ppm) of lead in article or accessible part thereof 0.05 µg/cm² /h (equivalent to 0.05 µg/g/h) in the rate of lead release from an article or any accessible part thereof	alloy, freecutting steel, optical material, X-ray shielding in CRT glass, solder material, curing agent, vulcanizing agent, ferroelectrics, plating, metal alloy
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of lead in homogeneous material	Pigment, dye
		U.S. Consumer Product Safety Improvement Act (CPSIA)	Consumer products designed or intended primarily for children 12 years of age or younger	0.01% by weight (100 ppm) of lead in the children's product	Pigment, paint, stabilizer, colorant
		U.S. Consumer Product Safety Improvement Act(CPSIA)	Paint and similar surface coatings of toys and other articles intended for use by children	0.009% by weight (90 ppm) of lead in surface coating	Pigment, paint, stabilizer, colorant
		US/CA Proposition 65 Case law	Cables/cords with thermoset or thermoplastic coatings	·Intentionally added ⁽¹⁾ ·0.03% by weight (300 ppm) of lead in surface coating	Pigment, paint, stabilizer, colorant
		•EU Directive 94/62/EC on Packaging and Packaging Waste •US State Toxics in Packaging (TPCH Model Legislation)	packaging materials	•Intentionally added (1) •0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material	Pigment, paint, plastic stabilizer
		•EU Batteries Regulation (EU)2023/1542 •Brazilian Batteries Regulation National Environmental Council Resolution 401	Alkaline manganese batteries Zinc air button cells	0.004% by weight (40ppm) of lead in a battery 0.05% by weight (500ppm) of lead in a battery	
		•Chinese National Standards regarding the limit of hazardous	Batteries, other than the batteries listed above	0.01% by weight (100ppm) of lead in a battery	

substances in batteries (GB24427-2021) (continued) *Korea "Quality Management and Industrial Products Safety Management Enforcement

For exemptions under the RoHS Directive (2011/65/EU), please refer to Annex 1 "Applications exempted from the RoHS Directive Annex III" and Annex 2 "Applications exempted from the RoHS Directive Annex IV".

exempted from the RoHS Directive Annex IV".

In principle, the prohibited dates of delivery to Nikon-Trimble will be one year before the expiration dates of exemption.

Representative examples of relevant substance

Ordinances"

Substance name	CAS No.
Lead	7439-92-1
Lead (II) sulfate	7446-14-2
Lead (II) carbonate	598-63-0
Lead (II) chromate	7758-97-6
Lead chromate molybdate sulphate red	12656-85-8
Lead hydrocarbonate	1319-46-6
Lead acetate	301-04-2
Lead (II) acetate, trihydrate	6080-56-4
Lead phosphate	7446-27-7
Lead selenide	12069-00-0
Lead (IV) oxide	1309-60-0
Lead (II,IV) oxide	1314-41-6
Lead (II) sulfide	1314-87-0
Lead (II) oxide	1317-36-8
Lead (II) carbonate basic	1319-46-6
Lead hydroxidcarbonate	1344-36-1
Lead (II) phosphate	7446-27-7
Lead sulfochromate yellow	1344-37-2
Lead (II) titanate	12060-00-3
Lead sulfate, sulphuric acid, lead salt	15739-80-7
Lead sulphate, tribasic	12202-17-4
Lead stearate	1072-35-1
Lead oxide	1335-25-7
Lead (II) fluoride	7783-46-2

Pr	Prohibited Chemical Substances (continued)					
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
4	Mercury/mercury compounds	•RoHS Directive 2011/65/EU •ANNEX XVII Entry 18, 18a of REACH Regulation (EC) No 1907/2006	All except the below applications	•Intentionally added ⁽¹⁾ •0.1% by weight (1,000 ppm) of mercury in homogeneous material	Fluorescent bulb, contact point material, pigment, anti-corrosion, switches, antibacterial treatment	
		•EU Directive 94/62/EC on Packaging and Packaging Waste •US State Toxics in Packaging (TPCH Model Legislation)	Packaging materials	Intentionally added ⁽¹⁾ 0.01% by weight (100 ppm) of the sum of cadmium, mercury, lead & chromium VI in homogeneous material	Pigment, paint, plastic stabilizer	
		•EU Batteries Regulation (EU)2023/1542 •USA Federal Mercury- Containing and Rechargeable Battery Management Act (MRBM) •Canada Products containing Mercury Regulations SOR/2014-254 •Chinese National	•Zinc–carbon batteries •Alkaline manganese batteries	Intentionally added ⁽¹⁾ 0.0001% by weight (1ppm) of mercury in a battery 0.0005% by weight (5ppm) of mercury in homogeneous material		
	Standard the limit of substand batteries 2021) • Korea "C Manager Industria Safety M Enforcen Ordinand • Taiwan M Disposal	 Korea "Quality Management and Industrial Products Safety Management Enforcement 	Nickel–metal hydride (Ni-MH) secondary batteries (except Button cells)	•0.0001% by weight (1ppm) of mercury in a battery •0.0005% by weight (5ppm) of mercury in homogeneous material		
		Ordinances" Taiwan Waste Disposal Act (Regulation on heavy	Ordinances" •Taiwan Waste Disposal Act (Regulation on heavy	Batteries, other than the batteries listed above	•0.0005% by weight (5ppm) of mercury in homogeneous material	
		"Applications exempted exempted from the Rol In principle, the prohibi the expiration dates of	the RoHS Directive (20°d from the RoHS Directive HS Directive Annex IV". ted dates of delivery to Nexemption.	e Annex III" and Ann	nex 2 "Applications	
	Substance name Mercury Mercuric chloride Mercury (II) chloride	Substance name			CAS No. 7439-97-6	
		Mercuric chloride			33631-63-9	
		Mercury (II) chloride Mercuric sulfate			7487-94-7 7783-35-9	
		Mercuric nitrate			10045-94-0	
		Mercuric (II) oxide			21908-53-2	
		Mercuric sulfide			1344-48-5	

		bstances (continued) Key Legal and				Evenueles of
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Thresho	ld Level	Examples of Use
5	Polybrominated biphenyls (PBBs)	RoHS Directive 2011/65/EU	All	0.1% by v (1,000 pp homogene material	m) in	Flame retardant
		Representative examp Substance name Polybrominated Biphen Dibromobiphenyl 2-Bromobiphenyl 3-Bromobiphenyl	oles of relevant substance			CAS No. 59536-65-1 92-86-4 2052-07-5 2113-57-7
		4-Bromobiphenyl Tribromobiphenyl Tetrabromobiphenyl Pentabromobiphenyl Hexabromobiphenyl Hexabromo-1,1-biphenyl Firemaster FF-1	yl			92-66-0 59080-34-1 40088-45-7 56307-79-0 59080-40-9 36355-01-8 67774-32-7
		Heptabromobiphenyl Octabromobiphenyl Nonabromobiphenyl Decabromobiphenyl				35194-78-6 61288-13-9 27753-52-2 13654-09-6
6	Polybrominated diphenyl ethers (PBDEs)	RoHS Directive 2011/65/EU Japan Law concerning the evaluation of chemical substances	Electrical and electronic products (Including accessories)	•Intentionally added (1) •0.1% by weight (1,000 ppm) in homogeneous material		Flame retardant
		EU Revised POPs Regulation (EU)2019/1021	All except the above	•Intention added (1) •0.05% by (500 ppr for the supples (1) PBDEs (1) article	y weight m) um of	
		US Toxic Substances Control Act (TSCA) PBT Rules	All	Intentiona added ⁽¹⁾ (Only Dec	•	
		Substance name Bromodiphenyl ether Dibromodiphenyl ether	es of relevant substance		10 20	AS No. 01-55-3 050-47-7 690-94-0
			ether ailable PeBDPO is a comple ning a variety of brominated		400 325 (CAS nur commerc PeBDPO	088-47-9 534-81-9 mber used for cial grades of
		Heptabromodiphenyl eth Octabromodiphenyl eth Nonabromodiphenyl eth Decabromodiphenyl eth	her er ner		689 329 639	928-80-3 536-52-0 936-56-1 63-19-5

	Prohibited Chemical Substances (continued)					
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
7	Polychlorinated biphenyls (PCBs) and specific substitutes	Japan Law concerning the evaluation of chemical substances ANNEX XVII Entry 24-26 of REACH Regulation (EC) No 1907/2006 US TSCA	All	Intentionally added ⁽¹⁾	Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution, plasticizer, flame retardant, dielectric sealant, printing ink, carbonless copying paper	
		Representative examp	oles of relevant substar	nce	,, 3	
		Substance name Polychlorinated Biphen Monomethyl-tetrachlor Monomethyl-dichloro-d Monomethyl-dibromo-o	nyls (all isomers and co o-diphenyl methane (U liphenyl methane (Ugile	ngeners) gilec 141) ec 121, Ugilec 21)	CAS No. 1336-36-3 76253-60-6 81161-70-8 99688-47-8	
8	Polychlorinated terphenyls (PCTs)	Representative examp Substance name Polychlorinated Terphe	oles of relevant substar		Insulation oil, lubricant oil, electrical insulation medium, solvent, electrolytic solution, plasticizer, flame retardant, coatings for electrical wire and cable, dielectric sealant printing ink, carbonless copying paper CAS No. 61788-33-8	
9	Polychlorinated naphthalenes (PCNs)	Japan Law concerning the evaluation of chemical substances EU Revised POPs regulation (EU) 2019/1021 Representative examp Substance name Polychlorinated naphth	All bles of relevant substantalenes	Intentionally added (1)	Lubricant, paint, stabilizer (electric haracteristic, flame-resistant, waterresistant) insulator, flame retardant, antiseptics, mildew repellent CAS No. 70776-03-3	

Pro	Prohibited Chemical Substances (continued)					
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
10	Shortchain chlorinated paraffins (C10 –13) (SCCPs)	•EU Revised POPs regulation (EU)2019/1021 •Japan Law concerning the evaluation of chemical substances	All	•Intentionally added ⁽¹⁾ •0.15% by weight (1,500 ppm) in article	Plasticizer for PVC, flame retardant	
		Representative examp	oles of relevant substar	nce		
		Substance name			CAS No	
		Alkanes, C10-13, chlor	0		85535-84-8	
		Alkanes, C10-12, chlor			108171-26-2	
		Alkanes, C12-13, chlore			71011-12-6	
11	Tri-substituted		All	•Intentionally	Stabilizer,	
''	organostannic compounds	•ANNEX XVII Entry 20 of REACH Regulation (EC) No 1907/2006	ΛII	added ⁽¹⁾	antioxidant, antibacterial and	
		Japan Law concerning		•0.1% by weight (1,000 ppm)	antifungal agent, antifoulant, antiseptic,	
		the evaluation of chemical substances		of tin in a part	paint, pigment, antistaining	
		Representative examp	les of relevant substand	ce		
		Substance name			CAS No	
		Triphenyltin-N, N-dimet	hyldithiocarbamate		1803-12-9	
		Triphenyltinfluoride			379-52-2	
		Triphenyltinacetate			900-95-8	
		Triphenyltinchloride			639-58-7	
		Triphenyltinhydroxide			76-87-9	
		Triphenyltin fattyacid ((9-11) salt)		18380-71-7 18380-72-8 47672-31-1 94850-90-5	
		Triphenyltinchloroaceta	te		7094-94-2	
		Tributyltinmethacrylate			2155-70-6	
		Bis(tributyltin)fumalate			6454-35-9	
		Tributyltinfluoride			1983-10-4	
		Bis(tributyltin)2,3-dibron	nosuccinate		31732-71-5	
		Tributyltinacetate			56-36-0	
		Tributyltinlaurate			3090-36-6	
		Bis(tributyltin)phthalate			4782-29-0	
		Coplymer of alkyl (c=8) tributyltin methacrylate	acrylate, methyl metha	acrylate and	67772-01-4	
		Tributyltinsulfamate			6517-25-5	
		Bis(tributyltin)maleate			14275-57-1	
		Tributyltinchloride			1461-22-9 7342-38-3	
		Tributyltin cyclopentane	e carbonate = mixture		85409-17-2	
		Tributyltin-1,2,3,4,4a,4b dimethyl-1-phenanthrer	,5,6,10,10a-decahydro	-7-isoplopyl-1,4a-	26239-64-5	

Pro	hibited Chemical Su	bstances (continued)			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
12	Tributyl tin oxide (TBTO)	Japan Law concerning the evaluation of chemical substances	All	Intentionally added (1)	Antiseptic, antifungal agent, paint, pigment, antistaining, refrigerant, foaming agent, extinguishant, solvent cleaner, stabilizer for PVC, curing catalyst for silicone resin and urethane resin
		Substance name Tributyl tin oxide (TBT0	D)		CAS No. 56-35-9
13	Dibutyltin (DBT) compounds	ANNEX XVII Entry 20 of REACH Regulation (EC) No 1907/2006	All	0.1% by weight (1,000 ppm) of tin in a part	Plasticizer, ink, stabilizer for PVC, curing catalyst for silicone resin and urethane resin
		Donrocentative event	alaa of ralayant aubatan		
		Substance name	oles of relevant substan	ce	CAS No.
		Dibutyltin oxide			818-08-6
		Dibutyltin diacetate			1067-33-0
		Dibutyltin dilaurate			77-58-7
		Dibutyltin maleate			78-04-6
		Dibutyltin dichloride			683-18-1
44	Discondition (DOT)	ANNEY VIII Fratm. 20	(-) 4->4il	0.40/ h.vinht	Ctabilinas for DV/C
14	Dioctyltin (DOT) compounds	ANNEX XVII Entry 20 of REACH Regulation (EC) No 1907/2006	(a) textile and leather articles intended to come into contact with the skin, (b) childcare articles (c) wocomponent Room Temperature Vulcanization moulding kits (RTV-2 moulding kits)	0.1% by weight (1,000 ppm) of tin in a part	Stabilizer for PVC, curing catalyst for silicone resin and urethane resin
			oles of relevant substan	ce	0:2:
		Substance name			CAS No.
		Dioctyl Tin Oxide Dioctyltin dilaurate			870-08-6 3648-18-8
		Diociyiiii ullaurate			JU40-10-0
L		1			

Pro	nibited Chemicai St	ubstances (continued)			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
15	Ozone depleting substances	•Montreal Protocol •EU EC No. 2037/2000 •EC 1005/2009 •US Clean Air Act	All	Intentionally added (1)	Refrigerant, foaming agent, extinguishant, solvent cleaner
		Representative examp	oles of relevant substar	nce	
		Substance name			CAS No.
		Trichlorofluoromethane	(CFC-11)		75-69-4
		Dichlorodifluoromethan			75-71-8
		Chlorotrifluoromethane			75-72-9
		Pentachlorofluoroethan	e (CFC-111)		354-56-3
		Tetrachlorodifluoroetha 1,1,1,2-Tetrachloro-2,2-		l12a)	76-12-0 28605-74-5 76-11-9
		Trichlorotrifluoroethane		la)	76-13-1 26523-64-8
		Dichlorotetrafluoroetha	ne (CFC-114)	,	354-58-5 76-14-2
		Monochloropentafluoro	ethane (CFC-115)		76-15-3
		Heptachlorofluoropropa	,		422-78-6 135401-87-5
		1,1,1,2,2,3,3-Heptachlo			422-78-6
		Hexachlorodifluoroprop		rc-211ba)	422-81-1 3182-26-1
			,		2354-06-5
		Pentachlorotrifluoroprop	pane (CFC-213)		134237-31-3
		Tetrachlorotetrafluoropi			29255-31-0
		1,2,2,3-Tetrachloro-1,1 1,1,1,3-Tetrachloro-2,2			677-68-9 2268- 46-4
		Trichloropentafluoropro			1599-41-3
		1,2,2-Trichloropentaflu 1,2,3-Trichloropentaflu			1599-41-3 76-17-5
		1,1,2-Trichloropentaflu	oropropane (CFC-215l	ob)	_
		1,1,3-Trichloropentaflu			_
		1,1,1-Trichloropentafluo		:b)	4259-43-2
		Dichlorohexafluoroprop			661-97-2
		Chloroheptafluoropropa Bromochloromethane (422-86-6 74-97-5
		Dibromodifluoromethan			75-61-6
		Bromochlorodifluorome			353-59-3
		Bromotrifluoromethane			75-63-8
		Dibromotetrafluoroetha			124-73-2
		Tetrachloromethane (c			56-23-5
		1,1,1-Trichloroethane (71-55-6
		Bromomethane (methy Bromoethane (ethyl bro			74-83-9 74-96-4
		1-Bromoethane (ethyl bro			106-94-5
		Trifluoroiodomethane (2314-97-8
		Chloromethane (methy	,		74-87-3
		Dibromofluoromethane	(HBFC-21 B2)		1868-53-7
		Bromodifluoromethane	(HBFC-22 B1)		1511-62-2
		Bromofluoromethane (373-52-4
		Tetrabromofluoroethan Tribromodifluoroethane			306-80-9
		Dibromotrifluoroethane			354-04-1
		Bromotetrafluoroethan			124-72-1
		Tribromofluoroethane (, ,		_
		Dibromodifluoroethane			75-82-1
		Bromotrifluoroethane (l	HBFC-133 B1)		421-06-7
		Dibromofluoroethane (358-97-4
		Bromodifluoroethane (I	HBFC-142 B1)		420-47-3

Ozone depleting	Bromofluoroethane (HBFC-151 B1)	762-49-2
substances	Hexabromofluoropropane (HBFC-221 B6)	-
(continued)	Pentabromodifluoropropane (HBFC-222 B5)	_
, ,	Tetrabromotrifluoropropane (HBFC-223 B4)	_
	· · · · · · /	
	Tribromotetrafluoropropane (HBFC-224 B3)	424.79.7
	Dibromopentafluoropropane (HBFC-225 B2) Bromohexafluoropropane (HBFC-226 B1)	431-78-7 2252-78-0
	, , ,	2232-76-0
	Pentabromofluoropropane (HBFC-231 B5)	_
	Tetrabromodifluoropropane (HBFC-232 B4)	_
	Tribromotrifluoropropane (HBFC-233 B3)	_
	Dibromotetrafluoropropane (HBFC-234 B2)	_
	Bromopentafluoropropane (HBFC-235 B1)	460-88-8
	Tetrabromofluoropropane (HBFC-241 B4)	_
	Tribromodifluoropropane (HBFC-242 B3)	70192-80-2
	Dibromotrifluoropropane (HBFC-243 B2)	431-21-0
	Bromotetrafluoropropane (HBFC-244 B1)	679-84-5
	Tribromofluoropropane (HBFC-251 B3)	75372-14-4
	Dibromodifluoropropane (HBFC-252 B2)	460-25-3 421-46-5
	Bromotrifluoropropane (HBFC-253 B1) Dibromofluoropropane (HBFC-261 B2)	51584-26-0
	Bromodifluoropropane (HBFC-261 B2)	51304-20-0
	Bromodiluoropropane (HBFC-262 B1) Bromofluoropropane (HBFC-271 B1)	1871-72-3
	Dichlorofluoromethane (HCFC-21)	75-43-4
	Chlorodifluoromethane (HCFC-22)	75-45-6
	Chlorofluoromethane (HCFC-31)	593-70-4
		134237-32-4
	Tetrachlorofluoroethane (HCFC-121)	354-14-3
	1,1,1,2-Tetrachloro-2-fluoroethane (HCFC-121a)	354-11-0
	Trichlorodifluoroethane (HCFC-122)	41834-16-6
	1,1,2-Trichloro-1,2-difluoroethane (HCFC-122a)	354-21-2
	1,1,1-Trichloro-2,2-difluoroethane (HCFC-122b)	354-15-4
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	354-12-1
	Dichlorotrifluoroethane (HCFC-123)	34077-87-7 306-83-2
	1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a)	354-23-4
	1,1-Dichloro-1,2,2-trifluoroethane (HCFC-123b)	812-04-4
	011 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (63938-10-3
	Chlorotetrafluoroethane (HCFC-124)	2837-89-0
	1-chloro-1,1,2,2-tetrafluoroethane (HCFC-124a)	354-25-6
	Trichlorofluoroethane (HCFC-131)	27154-33-2;
	4.40.7:11 0.5 40.0	134237-34-6
	1,1,2-Trichloro-2-fluoroethane (HCFC-131)	359-28-4
	1,1,2-Trichloro-1-fluoroethane (HCFC131a) 1,1,1-Trichloro-2-fluoroethane (HCFC-131b)	811-95-0 2366-36-1
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	25915-78-0
	Dichlorodifluoroethane (HCFC-132)	431-06-1
	1,1-Dichloro-2,2-difluoroethane (HCFC-132a)	471-43-2
	1,2-Dichloro-1,1-difluoroethane (HCFC-132b)	1649-08-7
	1,1-Dichloro-1,2-difluoroethane (HCFC-132c)	1842-05-3
	Chlorotrifluoroethane (HCFC-133)	1330-45-6
	2-Chloro-1,1,1-trifluoroethane (HCFC-133a)	431-07-2
	1-Chloro-1,1,2-trifluoroethane (HCFC-133b)	75-88-7
	Dichlorofluoroethane(HCFC-141)	421-04-5 25167-88-8
		430-57-9
	1,1-Dichloro-2-fluoroethane (HCFC-141a)	430-53-5
	1,1-Dichloro-1-fluoroethane (HCFC-141b)	1717-00-6
		25497-29-4
	Chlorodifluoroethane (HCFC-142) 1-Chloro-1,1-difluoroethane (HCFC-142b)	338-65-8
	1-Chloro-1,2-difluoroethane (HCFC-142b)	75-68-3
	1 Stilloto 1,2 dilluoi octilalio (1101 0-142a)	338-64-7
	Chlorofluoroethane (HCFC-151)	110587-14-9
	1-Chloro-1-fluoroethane (HCFC-151a)	762-50-5 1615-75-4
	Hexachlorofluoropropane (HCFC-221)	134237-35-7
	Tissus incrementary opening (1101 0-221)	29470-94-8
l	Ц	200010

Ozone depleting	1,1,1,2,2,3-Hexachloro-3-fluoropropane (HCFC-221ab)	422-26-4
substances	Pentachlorodifluoropropane (HCFC-222)	134237-36-8
(continued)	1,1,1,3,3-pentachloro-2,2-difluoropropane (HCFC-222ca))	422-49-1
	1,2,2,3,3-pentachloro-1,1-difluoropropane (HCFC-222aa)	422-30-0
	Tetrachlorotrifluoropropane (HCFC-223)	134237-37-9
	1,1,3,3-Tetrachloro-1,2,2-trifluoropropane (HCFC-223ca)	422-52-6
	1,1,1,3-Tetrachloro-2,2,3-trifluoropropane (HCFC-223cb)	422-50-4
	Trichlorotetrafluoropropane (HCFC-224)	134237-38-0
	1,3,3-Trichloro-1,1,2,2-tetrafluoropropane (HCFC-224ca)	422-54-8
	1,1,3-Trichloro-1,2,2,3-tetrafluoropropane (HCFC-224cb)	422-53-7
	1,1,1-Trichloro-2,2,3,3-tetrafluoropropane (HCFC-224cc)	422-51-7
	Dichloropentafluoropropane (HCFC-225)	127564-92-5
	2,2-Dichloro-1,1,1,3,3-pentafluoropropane (HCFC-225aa)	128903-21-9
	2,3-Dichloro-1,1,1,2,3-pentafluoropropane (HCFC-225ba)	422-48-0
	1,2-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225bb)	422-44-6
	3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca)	422-56-0
	1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb)	507-55-1
	1,1-Dichloro-1,2,2,3,3-pentafluoropropane (HCFC-225cc)	13474-88-9
	1,2-Dichloro-1,1,3,3,3-pentafluoropropane (HCFC-225da)	431-86-7
	1,3-Dichloro-1,1,2,3,3-pentafluoropropane (HCFC-225ea)	136013-79-1
	1,1-Dichloro-1,2,3,3,3-pentafluoropropane (HCFC-225eb)	111512-56-2
	Chlorohexafluoropropane (HCFC-226)	134308-72-8
	2-Chloro-1,1,1,3,3,3-hexafluoro-propane (HCFC-226da)	431-87-8
	Pentachlorofluoropropane (HCFC-231) 1,1,1,2,3-pentachloro-2-fluoro-propane (HCFC-231bb)	134190-48-0
	Tetrachlorodifluoropropane (HCFC-231bb)	421-94-3 134237-39-1
	1,1,1,3-Tetrachloro-3,3-difluoropropane (HCFC-232fc)	460-89-9
	Trichlorotrifluoropropane (HCFC-233)	134237-40-4
	1,1,1-Trichloro-3,3,3-trifluoropropane (HCFC-233fb)	7125-83-9
	Dichlorotetrafluoropropane (HCFC-234)	127564-83-4
	1,2-Dichloro-1,2,3,3-tetrafluoropropane (HCFC-234db)	425-94-5
	Chloropentafluoropropane (HCFC-235)	134237-41-5
	1-Chloro-1,1,3,3,3-pentafluoropropane (HCFC-235fa)	460-92-4
	Tetrachlorofluoropropane (HCFC-241)	134190-49-1
	1,1,2,3-Tetrachloro-1-fluoropropane (HCFC-241db)	666-27-3
	Trichlorodifluoropropane (HCFC-242)	134237-42-6
	1,3,3,Trichloro-1,1-difluoropropane (HCFC-242fa)	460-63-9
	Dichlorotrifluoropropane (HCFC-243)	134237-43-7
	1,1-Dichloro-1,2,2-trifluoropropane (HCFC-243cc)	7125-99-7
	2,3-Dichloro-1,1,1-trifluoropropane (HCFC-243db)	338-75-0
	3,3-Dichloro-1,1,1-trifluoropropane (HCFC-243fa)	460-69-5
	Chlorotetrafluoropropane (HCFC-244)	134190-50-4
	3-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244ca)	679-85-6
	1-Chloro-1,1,2,2-tetrafluoropropane (HCFC-244cc)	421-75-0
	Trichlorofluoropropane (HCFC-251)	134190-51-5
	1,1,3-Trichloro-1-fluoropropane (HCFC-251fb)	818-99-5
	1,1,2-Trichloro-1-fluoropropane (HCFC-251dc)	421-41-0
	Dichlorodifluoropropane (HCFC-252)	134190-52-6
	1,3-Dicloro-1,1-difluoropropane (HCFC-252fb)	819-00-1
	Chlorotrifluoropropane (HCFC-253)	134237-44-8
	3-Chloro-1,1,1-trifluoropropane (HCFC-253fb)	460-35-5
	Dichlorofluoropropane (HCFC-261)	134237-45-9
	1,1-Dichloro-1-fluoropropane (HCFC-261fc)	7799-56-6
	1,2-Dichloro-2-fluoro-propane (HCFC-261ba)	420-97-3
	Chlorodifluoropropane (HCFC-262)	134190-53-7
	1-Chloro-2,2-difluoropropane (HCFC-262ca)	420-99-5
	2-Chloro-1,3-difluoropropane (HCFC-262da)	102738-79-4
	1-Chloro-1,1-difluoropropane (HCFC-262fc)	421-02-3
	Chlorofluoropropane (HCFC-271)	134190-54-8
1	2-Chloro-2-fluoropropane (HCFC-271ba)	420-44-0
	1-Chloro-1-fluoropropane (HCFC-271fb	430-55-7

Note: These substances may contain further isomers that are not listed here. Isomers with CAS numbers have been included when available.

FIUIII	bited Chemical Subs	Key Legal and			
No.	Substance/ Category	Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
16	Radioactive	•EU-D 96/29/Euratom	All	Intentionally	Optical properties
	substances	Act on the Regulation of Nuclear Source Material, Nuclear Fuel Material, and Reactors Japan Law oncerning		added ⁽¹⁾	(thorium), measuring device, gauges, detector
		Prevention from Radiation Hazards			
			oles of relevant substan	се	
		Substance name			CAS No
		Uranium-238			7440-61-1
		Radon Americium-241			10043-92-2 14596-10-2
		Thorium-232			7440-29-1
		Cesium-137	10045-97-3		
		Strontium-90	10098-97-2		
17	Asbestos	•ANNEX XVII Entry 6 of REACH Regulation (EC) No 1907/2006 •US TSCA	All	Intentionally added (1)	Insulator, filler, pigment, paint, talc, heat insulating material
			oles of relevant substan	ce	
		Substance name			CAS No 1332-21-4
		Asbestos Actinolite			77536-66-4
		Amosite (Grunerite)			12172-73-5
		Anthophyllite			77536-67-5
		Chrysotile			12001-29-5
		Crocidolite			12001-28-4
		Tremolite			77536-68-6

10111		tances (continued)				
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
18	Azocolourants and azodyes which form certain aromatic amines ⁽³⁾	•ANNEX XVII Entry 43 of REACH Regulation (EC) No 1907/2006	Textiles and leather	0.003% by weight (30 ppm) (3) of the finished textile/leather product	Pigment, dye, colorant	
		Relevant aromatic am Substance name Biphenyl-4-ylamine Benzidine 4-chloro-o-toluidine 2-naphthylamine o-aminoazotoluene 5-nitro-o-toluidine 4-chloroaniline 4-methoxy-m-phenylen 4,4'-methylenedianiline 3,3'-dichlorobenzidine 3,3'-dimethoxybenzidine 4,4'-methylenedi-o-tolui 6-methoxy-m-toluidine 4,4'-methylene-bis(2-ch	ediamine e dine		CAS No 92-67-1 92-87-5 95-69-2 91-59-8 97-56-3 99-55-8 106-47-8 615-05-4 101-77-9 91-94-1 119-90-4 119-93-7 838-88-0 120-71-8 101-14-4 101-80-4	
		4,4'-thiodianiline o-toluidine 4-methyl-m-phenylened 2,4,5-trimethylaniline o-anisidine 4-amino azobenzene Note: The European C	139-65-1 95-53-4 95-80-7 137-17-7 90-04-0 60-09-3			
19	Polyvinyl chloride (PVC) / PVC compounds	amines.	Packaging materials carrying bag, pouch	0.1% total chlorine content by weight (1,000 ppm) in plastic material	Insulator, cable coating, film, tube, tamperproof labels, clam-shell packs	
		If customers specify use of PVC packaging materials, above prohibit Applications other than the above shall apply to controlled chemical Representative examples of relevant substance Substance name Polyvinyl chloride (PVC)				

Pr	Prohibited Chemical Substances (continued)							
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use			
20	Perfluorooctane sulfonate (PFOS) and its salts	•EU POPs Regulation (EU) 2019/1021 •Canadian Environmental Protection Act 1999 •Japan Law concerning the evaluation of chemical substances Representative exampl	All	•Intentionally added (1) •0.1% by weight (1,000 ppm) in a part •1 µg/m2 in textiles or coated material	Photoresist, anti-reflection coating agent, film, paper, photos coating, plating mist inhibitor, lubricating oil used in the electroplating process			
		Substance name Perfluoroctane Sulfona Ammonium heptadecaf						
		Lithium heptadecafluor Bis(2-hydroxyethyl) am Perfluorooctane-1-sulfo 2-(N-Ethylperfluoroocta	Lithium heptadecafluoro-1-octanesulfonate Bis(2-hydroxyethyl) ammonium perfluorooctanesulfonate Perfluorooctane-1-sulfonyl fluoride (PFOSF) 2-(N-Ethylperfluorooctanesulfonamido) ethyl methacrylate N-Ethyl-N-(2-hydroxyethyl) perfluorooctylsulphonamide					
		N-Ethyl-N-(2-hydroxyet N-(2-Hydroxyethyl)-N-m N-Ethyl perfluoro octan N-Methyl perfluorooctal	nethylperfluorooctanesu Isulfonamide	1691-99-2 24448-09-7 4151-50-2 31506-32-8				
21	Dimethyl fumarate (DMF)	ANNEX XVII Entry 61 of REACH Regulation (EC) No 1907/2006	All	0.00001% by weight (0.1 ppm) in a part	Biocide, mold treatment of electronic leather seat including recliner, massage chair			
		Substance name Dimethyl fumarate (DM	F)		CAS No 624-49-7			
22	Phenol, 2-(2H-benzotriazol-2- yl)-4,6-bis(1,1- dimethylethyl)	Japan Law concerning the evaluation of chemical substances	All	Intentionally added ⁽¹⁾	Adhesive, paint, printing ink, plastics, inked ribbon, putty, caulking or sealing filler			
		Substance name Phenol,2-(2H-benzo	otriazol-2-yl)-4,6-bis(1,1-	dimethylethyl)	CAS No 3846-71-7			

Pr	onibited Chemical Su	bstances (continued)				
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
23	Hexabromocyclodod ecane (HBCD ⁽⁴⁾) and all major diastereoisomers	Flame retardant mainly used for expanded polystyrene and some types of fiber				
		Representative examples of relevant substance Substance name Hexabromocyclododecane (HBCD) α-hexabromocyclododecane β-hexabromocyclododecane rel-(1R,2S,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane rel-(1R,2S,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2S,5S,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane (1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane				
24	Perfluorooctanoic acid (PFOA), its salts and PFOA-related substances (7)	Japan Law concerning the evaluation of chemical substances EU POPs Regulation (EU)2019/1021 and (EU)2020/784 (9)	All	•Intentionally added (1) •0.0000025% by weight (25 ppb) of PFOA including its salts in a mixture or an article (8) •0.0001% by weight (1000ppb) of one or a combination of PFOA-related substances in a mixture or an article (8)	Extinguishing agent, water repellent, surface-active agent, anti-rust, etching solution, antireflection coating, photoresist, plating solution, activator, coating, solder, lubricant, adhesive, paint, ink surface treating, agent for paper, resin modifier	
		2025; (b) photographic coa (c) textiles for oil- and liquids that compl (d) invasive and impla (2) PFOA and its salts a	emption (1), the above sepiration date of exempt cations or etch processes in settings applied to films, und water-repellency for the crisks to their health antable medical devices and/or PFOA-related cotained in medical devices tained in medical devices and or PFOA-related cotained in medical devices and or PFOA-related in medical devices and or PFOA-related in medical devices and or PFOA-related in medical de	etandards shall be applions. miconductor manufactor ma	turing, until 4 July rs from dangerous ly 2023; below 0,0002 % by	

Perfluorooctanoic acid (PFOA), its salts and PFOA-related substances ⁽⁷⁾ (continued)

epresentative examples of relevant substance PFOA and its salts	CAS No.
	335-67-1
Perfluorooctanoic acid; PFOA	
Ammonium pentadecafluorooctanoate; APFO	3825-26-1
Sodium perfluorooctanoate	335-95-5
Potassium perfluorooctanoate	2395-00-8
Silver perfluorooctanoate	335-93-3
Tris(pentadecafluorooctanoic acid)chromium(III) salt	68141-02-6
Ethanaminium, N, N, N-triethyl-, salt with pentadecafluorooctanoic acid (1:1)	98241-25-9
Hexanoic acid, 2,3,3,4,4,5,5,6,6,6-decafluoro- 2-(1,1,2,2,2- pentafluoroethyl)-, ammonium salt (1:1)	13058-06-5
PFOA-related substances	CAS No.
Pentadecafluorooctyl fluoride	335-66-0
Methyl perfluorooctanoate	376-27-2
Ethyl perfluorooctanoate	3108-24-5
Triethoxy-1H,1H,2H,2H-perfluorodecylsilane	101947-16-4
1,3-Propanediol, 2,2-bis[[(γ-ω-perfluoro-C4-10-alkyl) thio] methyl] derivs., phosphates, ammonium salts	148240-85-1
1,3-Propanediol, 2,2-bis[[(γ-ω-perfluoro-C6-12-alkyl) thio] methyl] derivs., phosphates, ammonium salts	148240-87-3
2-Propenoic acid, C16-18-alkyl esters, polymers with 3,3,4,4,5,5, 6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl acrylate	160336-09-4
2-(Perfluorooctyl)ethyl methacrylate	1996-88-9
1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8-Heptadecafluoro-10-iododecane	2043-53-0
Cyclotetrasiloxane, 2-(4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11-heptadecafluoroundecyl)-2,4,6,8-tetramethyl-, Si-[3-(oxiranylmethoxy)propyl] derivs	206886-57-9
1H,1H,2H-Perfluoro-1-decene	21652-58-4
3,4-bis [(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1-oxooctyl) amino] benzenesulphonyl chloride	24216-05-5
2H,2H-Perfluorodecanoic acid	27854-31-5
1H,1H,2H,2H-Heptadecafluorodecyl acrylate	27905-45-9
1H,1H,2H,2H-Perfluorodecylmethyldichlorosilane	3102-79-2
Tris [4-(1H,1H,2H,2H- perfluorodecyl) phenyl] phosphine	325459-92-5
Bis[tris(4-(1H,1H,2H,2H-perfluorodecyl) phenyl) phosphine	323439-92-3
palladium (II) dichloride	326475-46-1
Perfluorooctanoic anhydride	33496-48-9
2-carboxyethylbis(2-hydroxyethyl)-3- [(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1- oxooctyl)	39186-68-0
amino] propylammonium hydroxide Perfluorooctyl phosphonic acid; C8-PFPA	40143-78-0
Bis(heptadecafluorooctyl)phosphinic acid, C8/C8-PFPIA N-[3-[bis(2-hydroxyethyl) amino] propyl] -	40143-79-1 41358-63-8
2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanamide	
Perfluorooctyl iodide	507-63-1
2-Propenoic acid, 2-methyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctyl ester, polymer with 2-propenoic acid	53515-73-4
1-Propanaminium, N,N,N-trimethyl-3-[(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1-oxooctyl)amino]-, chloride	53517-98-9
Mono[2-(perfluorooctyl)ethyl] phosphate	57678-03-2
Bis(perfluorooctyl) phosphinic acid; C6/C8-PFPIA	610800-34-5
Poly(difluoromethylene), α-fluoro-ω- [2- [[2-(trimethylammonio) ethyl] thio] ethyl]-, methyl sulfate	65530-57-6
Poly(difluoromethylene), α-fluoro-ω-[2-(phosphonooxy)ethyl]-	65530-61-2
Poly(difluoromethylene), α , α' - [phosphinicobis (oxy-2,1-ethanediyl)] bis [ω -fluoro-	65530-62-3
1H,1H,2H,2H-Perfluoro-1-decanol	678-39-7

Perfluorooctanoic
acid (PFOA),
its salts and
PFOA-related
substances (7)
(continued)

Bis[2-(perfluorooctyl)ethyl] phosphate	678-41-1
Fatty acids, C7-13, perfluoro	68333-92-6
Fatty acids, C7-13, perfluoro, compds. with ethylamine	69278-80-4
2-Decenoic acid,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- hexadecafluoro-	70887-84-2
Pentanoic acid, 4,4-bis((gamma-omega-perfluoro-C8-20-alkyl) thio) derivs., compds. with diethanolamine	71608-61-2
Fatty acids, C6-18, perfluoro, ammonium salts	72623-77-9
Carboxylic acids, C7-13, perfluoro, ammonium salts	72968-38-8
1H,1H,2H,2H-Perfluorodecyldimethylchlorosilane	74612-30-9
1H,1H,2H,2H-Perfluorodecyltrichlorosilane	78560-44-8
Poly(difluoromethylene), a-fluoro-w-(2-sulfoethyl)-	80010-37-3
Trimethoxy(1H,1H,2H,2H-heptadecafluorodecyl) silane	83048-65-1
Heptadecafluoro-1-[(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctyl) oxy] nonene	84029-60-7
N-(3-aminopropyl)-2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanamide	85938-56-3
1-Propanesulfonic acid, 3-[ethyl(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1-oxooctyl)amino] -, sodium salt	89685-61-0
Octanoic acid, pentadecafluoro-, mixed esters with 2,2'-[1,4-butanediylbis(oxymethylene)] bis[oxirane] and 2,2'-[1,6-hexanediylbis(oxymethylene)] bis[oxirane]	90480-57-2
Amides, C7-19, alpha-perfluoro-N, N -bis(hydroxyethyl)	90622-99-4
Fatty acids, C7-19, perfluoro	91032-01-8
Poly(oxy-1,2-ethanediyl), a-[2-[(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1-oxooctyl) amino] ethyl] -w-hydroxy-	93480-00-3
Diammonium 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- heptadecafluorodecyl phosphate	93857-44-4
Diammonium 4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heptadecafluoro-2-hydroxyundecyl phosphate	94200-45-0
Carbamic acid, [2-(sulfothio)ethyl]-, C-(γ-ω-perfluoro- C6-9-alkyl) esters, monosodium salts	95370-51-7

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
25	Polycyclic-aromatic hydrocarbons (PAH)	•ANNEX XVII Entry 50 of REACH Regulation (EC) No 1907/2006	Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity Rubber or plastic components in toys, including activity toys, and childcare articles, that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	0.0001% by weight (1 ppm) of any one of following PAHs in rubber or plastic component 0.00005% by weight (0.5 ppm) In rubber or plastic component	Rubber, plasticizer, colored pigment for plastic
		•ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of any one of following PAHs in homogeneous material	
		Relevant substance			
		Substance name			CAS No
		Benzo[a]pyrene (BaP)			50-32-8
		Benzo[e]pyrene (BeP)			192-97-2
		Benzo[a]anthracene (E	SaA)		56-55-3
		Chrysen (CHR)			218-01-9
		Benzo[b]fluoranthene (BbFA)		205-99-2
		Benzo[j]fluoranthene (f			205-82-3
		Benzo[k]fluoranthene (207-08-9

PIUI	Prohibited Chemical Substances (continued)							
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use			
26	Selected four Phthalates ·Bis (2-ethylhexyl) phthalate (DEHP)	Commission Delegated Directive (EU) 2015/863 amending Annex II to RoHS Directive 2011/65/EU	Electrical and electronic products (Including accessories)	0.1% by weight (1,000 ppm) of each phthalate in homogeneous material	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant			
	Dibutyl phthalate (DBP) Benzyl butyl phthalate (BBP) Diisobutyl	ANNEX XVII Entry 51 of REACH Regulation (EC) No 1907/2006	All except the following exemptions	0.1% by weight (1,000 ppm) for the sum of each phthalate in plasticised material				
	phthalate (DIBP)							
		air, provided that no premembranes or into premembranes or prememb	lectrical and electronic equipment within the scope of RoHS Directive 2011/65/EU he immediate packaging of medicinal products within the scope of Regulation (EC) to 726/2004, Directive 2001/82/EC or Directive 2001/83/EC					
		Substance name Bis (2-ethylhexyl) phthala	ate (DEHP)		CAS No. 117-81-7			
		Dibutyl phthalate (DBP)	, ,		84-74-2			
		Benzyl butyl phthalate (B Diisobutyl phthalate (DIB			85-68-7 84-69-5			

28 Arse	Substance/ Category maldehyde	Key Legal and Regulatory or Industry Standard • US Federal Law 40 CFR Part 770 • Germany ChemVerbotsV • Denmark Dirctive No.289 • ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006 • Austria-BGBI 1990/194 Relevant substance Substance name Formaldehyde	Application(s) Wood products or parts using plywood, particle board, medium density fiber board or the like • Clothing or related accessories • Textiles • Footwear	Intentionally added (1), (5) 0.0075% by weight (75 ppm) In homogeneous material	Examples of Use Speaker box, rack Adhesive, paint
28 Arse	enic/Arsenic	40 CFR Part 770 Germany ChemVerbotsV Denmark Dirctive No.289 ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006 Austria-BGBI 1990/194 Relevant substance Substance name	parts using plywood, particle board, medium density fiber board or the like • Clothing or related accessories • Textiles	added (1), (5) 0.0075% by weight (75 ppm) In homogeneous	rack Adhesive,
		entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006 •Austria-BGBI 1990/194 Relevant substance Substance name	accessories •Textiles	weight (75 ppm) In homogeneous	
		Substance name			
		Substance name			
		Formaldehyde			CAS No.
		· · · · · · · · · · · · · · · · · · ·			50-00-0
	npounds	ANNEX XVII Entry 19 of REACH Regulation (EC) No 1907/2006	Wood	Intentionally added (1)	Preservative for wood
		ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	Clothing or related accessories Textiles Footwear	0.0001% by weight (1 ppm) of arsenic in homogeneous	
	-		Optical glass, filter glass	material Intentionally added (1), (6)	Antifoaming agent, decolorizer
		Representative example Substance name			CAS No.
		Arsenic			7440-38-2
		Chromated copper arse	37337-13-6		
		Diarsenic pentoxide	, ,		1303-28-2
		Diarsenic trioxide			1327-53-3
		Triethyl arsenate			15606-95-8
		Trilead diarsenate		3687-31-8	
		Calcium arsenate			7778-44-1

No.	ibited Chemical Subs Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s	Threshold L	evel	Exan	nples of Use
29	Fluorinated greenhouse gases (HFC, PFC, SF ₆)	EU Revised F-Gas Regulation (EU) No 517/2014	Refer to the followings as products, equipments and gases to be prohibited	Intentionally added ⁽¹⁾	B e c ir	xtingı leanir	g agent, uishing agent, ng agent, ing material,
		Fluorinated greenhous	e gases to be con	trolled			
		Substance name			CAS	No.	GWP ^(※1)
		T.::fl /fl		ocarbons(HFCs)	75.40	` 7	14,000
		Trifluoromethane (fluoromethane (HFC-			75-46 75-10		14,800 675
		Methyl fluoride (methyl fluoride) (HFC-41)				3-3	92
		Pentafluoroethane (HFC-125)			354-3		3,500
		1,1,2,2-Tetrafluoroethane (HFC-134)			359-3		1,100
		1,1,1,2-Tetrafluoroethane (HFC-134a)			811-9		1,430
		1,1,2-Trifluoroethane (HFC-143) 1,1,1-Trifluoroethane (HFC-143a) 1,2-Difluoroethane (HFC-152)			430-6		353
					420-4 624-7		4,470 53
		1,1-Difluoroethane (HF			75-37		124
		Fluoroethane (HFC-161)				6-6	12
		1,1,1,2,3,3,3-Heptafluoropropane (HFC-227ea)			431-8		3,220
		1,1,1,2,2,3-Hexafluoro-			677-5		1,340
		1,1,1,2,3,3-Hexafluorop			431-6 690-3		1,370
			1,1,1,3,3,3-Hexafluoropropane (HFC-236fa) 1,1,2,2,3-Pentafluoropropane (HFC-245ca)			9-1 6-7	9,810 693
		1,1,1,3,3-Pentafluoropropane (HFC-245fa)			460-7		1,030
		1,1,1,3,3-Pentafluorobutane (HFC-365mfc)			406-5		794
		1,1,1,2,2,3,4,5,5,5-Decafluoropentane (HFC-43-10mee)			138495	-42-8	1,640
			Perfluoro	carbons (PFCs)			
		Tetrafluoromethane (perfluoromethane, carbon tetrafluoride) (PFC-14) Hexafluoroethane (perfluoroethane) (PFC-116) Octafluoropropane (perfluoropropane) (PFC-218)				3-0	7,390
						3-4	12,200 8,830
		Decafluoroputane (perfluoroputane) (PFC-218) Decafluorobutane (perfluoroputane) (PFC-31-10) Dodecafluoropentane (perfluoropentane) (PFC-41-12)			76-19 355-2		8,860
					678-2		9,160
		Tetradecafluorohexane (perfluorohexane) (PFC-51-14)				2-0	9,300
		Octafluorocyclobutane c318)	(perfluorocyclobu	itane) (PFC-	115-2	5-3	10,300
				rinated compounds			
		Sulfur hexafluoride (SF	,		2551-6	52-4	22,800
		(%1) GWP:global wa	•	له و المسلمة			
		Products, equipments an Products and equipmen	Ţ.	Gases	GWP ⁽⁾	※2)	Date of prohibition
		Non-refillable containers service, maintain or fill r air-conditioning or heat- equipment, fire protections switchgear, or for use a	refrigeration, -pump on systems or	HFCs, PFCs, SF ₆	-		already prohibited
		Non-confined direct eva systems (Cooling system	poration	HFCs, PFCs			already prohibited
		Fire protection equipme		PFCs	_		already prohibited
		The protection equipme	111	HFC-23	_		already prohibited
		Windows for domestic u	ıse	HFCs, PFCs, SF ₆	_		already prohibited
		Other windows		HFCs, PFCs, SF ₆			already prohibited

Fluorinated
greenhouse gases
(PFC, SF ₆ , HFC)
(continued)

Footwear		HFCs, PFCs, SF ₆	_	already prohibited
Tyres		HFCs, PFCs, SF ₆	_	already prohibited
One-component foam required to meet nation standards	onal safety	HFCs, PFCs, SF ₆	≧150	already prohibited
Aerosol generators mintended for sale to the for entertainment and purposes, as listed in Annex XVII to Regula 1907/2006, and signa	e general public decorative point 40 of tion (EC) No	HFCs	≧150	already prohibited
Domestic refrigerators	and freezers	HFCs	≧150	already prohibited
Technical aerosols ex required to meet natic standards or when use applications	nal safety	HFCs	≧150	already prohibited
Refrigerators and free commercial use (herm		HFCs	≧2,500	already prohibited
equipment)	,		≧150	Jan.1, 2022
Stationary refrigeration except equipment into application designed to temperatures below	ended for o cool products	HFCs	≧2,500	already prohibited
Multipack centralised refrigeration systems for commercial use with a rated capacity of 40 kW or more except in the primary refrigerant circuit of cascade systems where fluorinated greenhouse gases with a GWP of less than 1,500 may be used		HFCs, PFCs, SF ₆	≧150	Jan.1, 2022
Movable room air-conditioning equipment (hermetically sealed equipment which is movable between rooms by the end user)		HFCs	≧150	already prohibited
Single split air-condition containing less than 3 fluorinated greenhous	kg of	HFCs, PFCs, SF ₆	≧750	Jan.1, 2025
Foams except when required to meet national safety standards	Extruded polystyrene (XPS) Other foams	HFCs	≧150	already prohibited Jan.1, 2023

^(%2) The GWP of mixtures containing fluorinated greenhouse gases shall be calculated in accordance with Annex IV of (EU) No 517/2014.

30	Category	Key Legal and Regulatory or Industry Standard	Applica	ntion(s)	Thre	shold Level	Examples of Use	
	CMR substances listed in Annex XVII of REACH Regulation (Excluding	ANNEX XVII Entry 72 ⁽¹²⁾ of REACH Regulation (EC) No 1907/2006	•Clothing of accessorificatiles •Footwear	ries		able below	Strap, carrying bag, pouch, etc	
	substances already listed as prohibited	Relevant substances						
	chemical substances)	Substance name		CAS No.		Threshold L (in homoger	evel neous material)	
	Substances)	Benzene		71-43-2		0.0005 wt%		
		α, α, α, 4-Tetrachlorotolu	iene;	5216-25-1		0.0001 wt%	(1 ppm)	
		p-Chlorobenzotrichloride					, ,	
		α, α, α-Trichlorotoluene;		98-07-7		0.0001 wt%	(1 ppm)	
		benzotrichloride		400 44 7		0.0004 10/	(4	
		α-Chlorotoluene;		100-44-7		0.0001 wt%	(1 ppm)	
		Benzyl chloride 1,2-Benzenedicarboxyli Di-C 6-8-branched alkyl		71888-89-	-6	0.1 wt% (10	00 ppm)	
		C 7-rich						
		Bis(2-methoxyethyl) pht	halate	117-82-8		0.1 wt% (10		
		Diisopentylphthalate	DD)	605-50-5		0.1 wt% (10		
		Di-n-pentyl phthalate (D		131-18-0 84-75-3		0.1 wt% (10		
		Di-n-hexyl phthalate (Dr N-Methyl-2-pyrrolidone;	IHP)	872-50-4		0.1 wt% (10 0.3 wt% (30		
		1-Methyl-2-pyrrolidone (NMP)		012-30-4		0.3 Wt% (30	оо ррпп)	
		N, N-Dimethylacetamide	e (DMAC)	127-19-5 0.3 wt% (3		0.3 wt% (30	000 ppm)	
		N, N-Dimethylformamide; Dimethyl formamide				0.3 wt% (30		
		1,4,5,8-Tetraaminoanthr C.I. Disperse Blue 1	aquinone	2475-45-8	3	0.005 wt% (,	
		Benzenamine, 4,4'-(4- iminocyclohexa-2,5- dienylidenemethylene) of hydrochloride C.I. Basic Red 9	dianiline	569-61-9		0.005 wt% (50 ppm)	
		[4-[4,4'-Bis(dimethylamir benzhydrylidene] cycloh dien-1- ylidene] dimethy ammonium chloride; C.I. Basic Violet 3 with ≥ Michler's ketone (EC no. 202-027-5)	exa-2,5- ⁄I	548-62-9		0.005 wt% (50 ppm)	
		4-Chloro-o-toluidinium c	hloride	3165-93-3	}	0.003 wt% (30 ppm)	
		2-Naphthylammoniumad		553-00-4		0.003 wt% (
		4-Methoxy-m-phenylene diammonium sulphate; 2,4-Diaminoanisole sulp		39156-41-	-7	0.003 wt% (30 ppm)	
		2,4,5-Trimethylaniline hydrochloride	- India	21436-97-	-5	0.003 wt% (30 ppm)	
		Quinoline		91-22-5		0.005 wt% (50 ppm)	

	ombited onemical od	bstances (continued)				
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use	
31	Phenol, Isopropylated Phosphate (PIP (3:1))	US TSCA PBT Rules	All except the below applications	Intentionally added ⁽¹⁾	Flame retardant, plasticizer, adhesive, sealant, lubricant	
		The above standards sha adhesives and sealants,				
		 Exemption (1) Hydraulic fluids either for the aviation industry or to meet military specifications for safety and performance where no alternative chemical is available that meets U.S. Department of Defense specification requirements (2) Lubricants and greases (3) New and replacement parts for the automotive and aerospace industry (4) An intermediate in a closed system to produce cyanoacrylate adhesives 				
		(5) Specialized engine filt(6) Adhesives and sealarRelevant substance				
		Substance name			CAS No.	
		Phenol, Isopropylated F PIP(3:1)	Phosphate		68937-41-7	
32	2,4,6-tris(tert- butyl)phenol (2,4,6-TTBP)	US TSCA PBT Rules	All except articles	Intentionally added (1)	Fuel additives, fuel injector cleaners and oil and lubricants	
		Relevant substance Substance name			CAS No.	
		2,4,6-tris(tert-butyl)pher (2,4,6-TTBP)	nol		732-26-3	
33	Pentachlorothiophe nol (PCTP)	US TSCA PBT Rules	All	Intentionally added (1)	Rubber kneading accelerator	
		5				
		Relevant substance Substance name			CAS No.	
		Pentachlorothiophenol (PCTP)			133-49-3	
34	Hexachlorobutadien e (HCBD)	US TSCA PBT Rules	All	Intentionally added (1)	Solvents, pesticides, hydraulic, heat transfer, or transformer fluid	
		Relevant substance				
		Substance name			CAS No.	
		Hexachlorobutadiene (HCBD)			87-68-3	

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
35	C9-C14 PFCAs, their salts and C9- C14 PFCA-related substances (13)	•ANNEX XVII Entry 68 of REACH Regulation (EC) No 1907/2006	All except the below applications	 0.0000025% by weight (25 ppb) for the sum of C9-C14 PFCAs and their salts in a mixture or an article 0.000026% by weight (260ppb) for the sum of C9-C14 PFCA-related substances in a mixture or an article 	Extinguishing agent, water repellent, surface-active agent, anti-rust, etching solution, antireflection coating, photoresist, plating solution, activator, coating, solder, lubricant, adhesive, paint, ink surface treating, agent for paper, resin modifier

The above standards shall apply to the items supplied to Nikon-Trimble after August 25, 2022 (six months prior to the effective date). However, for Exemption (1), the above standards shall be applied from one year prior to the following expiration date of exemptions.

Exemption

- (1) The following applications
- (a) Semiconductors on their own; December 31, 2023
- (b) Semiconductors incorporated in semi-finished and finished electronic equipment; December 31, 2023
- (c) Photolithography or etch processes in semiconductor manufacturing; July 4, 2025
- (d) Photographic coatings applied to films; July 4, 2025
- (e) Invasive and implantable medical devices; July 4, 2025
- (f) fire-fighting foam for liquid fuel vapour suppression and liquid fuel fire (Class B fires) already installed in systems, including both mobile and fixed systems, subject to the following conditions; July 4, 2025
- (g) semiconductors used in spare or replacement parts for finished electronic equipment placed on the market before 31 December 2023; December 31, 2030
- (2) For the sum of C9-C14 PFCAs in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups;
- (i) Containing less than 0.0002% by weight (2,000 ppb); Until August 25,2024
- (ii) Containing less than 0.00001% by weight (100 ppb); From August 25,2024
- (3) Polytetrafluoroethylene (PTFE) micro powders produced by ionising irradiation or by thermal degradation containing less than 1,000 ppb for the sum of C9-C14 PFCAs; Review this derogation no later than 25 August 2024.

Representative examples of relevant substance

Substance name	CAS No.
Perfluorononanoic acid (PFNA: C9 PFCA)	375-95-1
Sodium perfluorononanoate	21049-39-8
Ammonium perfluorononanoate	4149-60-4
Perfluorodecanoic acid (PFDA: C10 PFCA)	335-76-2
Sodium Perfluorodecanoate	3830-45-3
Ammonium perfluorodecanoate	3108-42-7
Perfluoroundecanoic acid (PFUnDA: C11 PFCA)	2058-94-8
Perfluorododecanoic acid (PFDoDA: C12 PFCA)	307-55-1
Perfluorotridecanoic acid (PFTrDA: C13 PFCA)	72629-94-8
Perfluorotetradecanoic acid (PFTDA: C14 PFCA)	376-06-7

Prohibited Chemical Substances (continued)							
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use		
36	Perfluorohexanesul phonic acid (PFHxS), its salts and PFHxS-related	Annex A(Elimination) of POPs Convention	All	Intentionally added (2)	Carpets, leather, textile, paper, plating, electronic components		
37	Mineral oil aromatic Hydrocarbons (MOAH) comprising 1 to 7 aromatic rings	Representative examples Substance name Perfluorohexanesulphes Sodium perfluorohexanesulfon 1-Hexanesulfonic a lithium salt Ammonium perfluorohexanesulfonic and salt and sa					
		However, until December ppm) in ink".		·			
38	Mineral oil aromatic hydrocarbons (MOAH) comprising 3 to 7 aromatic rings	The above standards sha date).	Packaging, Printed matter Il apply from January 1	0.0001% by weights (1ppm) in ink , 2024 (From one year	production		
39	Mineral oil saturated hydrocarbons (MOSH) with 16 to 35 carbon atoms	The above standards sha date).	Packaging, Printed matter Il apply from January 1	0.1% by weights (1,000ppm) in ink	Oil used for ink production prior to the effective		
40	Dechlorane Plus	Annex A(Elimination) of POPs Convention Additional candidate substances to the Canad prohibition of CertainTox Substances Regulations The above standards so However, the start date Representative example Substance name	Adhesive, sealant, fame retardant, electrical insulation tape on circumstances.				
		[12.2.1.16,9.02,13.05,10 (1S,2S,5S,6S,9R,10R,1 Dodecachloropentacyc	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (1S,2S,5S,6S,9R,10R,13R,14R)-1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-				
		diene (1S,2S,5R,6R,9S,10S,1 Dodecachloropentacycle diene			135821-03-3		

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use		
41	2-(2H-1,2,3- Benzotriazol-2-yl)- 4,6-di-tert- pentylphenol (UV- 328)	Annex A(Elimination) of POPs Convention The above standards si However, the start date			Ultraviolet absorber, polarizer, anti-reflection film, hologram label on circumstances.		
		However, the start date of application may be postponed depending on circumstances. Exemption • Tri-acetyl cellulose (TAC) film in polarizers Representative examples of relevant substance Substance name 2-(2H-1,2,3-Benzotriazol-2-yl)-4,6-di-tert-pentylphenol(UV-328) 25973-55-1					
42	Per- and polyfluoroalkyl substances (PFAS)	US California AB1817 The above standards sha (From one year prior to t The following thresholds (From one year prior to •0.005% by weights(50p)	he effective date). shall apply from Janu the effective date).	uary 1, 2026	Water repellent, surface coating		

Notes:

(1) Intentionally added:

Intentionally added means that the corresponding substance or compound including the corresponding substance is intentionally added during manufacturing process, etc., irrespective of quantity. Ordinary impurities do not fall under this category. The substance, for which "Intentionally added" is written in its threshold field, must not be intentionally added.

(2) Regulatory thresholds for substances in these applications are based on emission or exposure limits rather than the concentration in the product. The regulatory limit is:

Radioactive substances -a dose rate exceeding 1 µSv h-1 at a distance of 0,1 m

Because emission and exposure levels cannot be derived from actual concentration, a threshold level of "intentionally added" is indicated for reporting. Suppliers may choose to report a default concentration of 0.1% by weight in the product for these substances, in lieu of determining the exact concentrations in their products, to indicate that the substance is known to be present in their product, as the actual concentration in the product is not informative for regulatory compliance assessment.

- (3) The European Community's ban applies to azocolourants and azodyes that by reductive cleavage of azo groups may release one of the 22 aromatic amines listed. The threshold level given applies to these amines, not to the azocolourants and azodyes.
- (4) HBCD is also referred to as HBCDD. HBCD and HBCDD are the same substance.
- (5) Regulatory thresholds for substances in these applications are based on emission limits.
 - •Hardwood plywood (made with a veneer core or a composite core) 0.05 ppm
 - Medium-density fiberboard (MDF) 0.11ppm
 - •Thin MDF 0.13ppm
 - ·Particleboard 0.09ppm

- (6) However, the use of arsenic is conditionally permitted when their substitutions are not available currently because of material technology and they are technically and scientifically essential to maintain the optical performance required in product designing.
- (7) PFOA related substances refer to substances (including its salts and polymers) having a linear or branched perfluoroheptyl group with the formula C7F15- or perfluorooctyl group with the formula C8F17-, as one of the structural elements. The following substances are excluded.
 - C8F17-X, where X= F, CI, Br.
 - Fluoropolymers that are covered by CF3[CF2] n-R', where R'=any group, n> 16;
 - Perfluoroalkyl carboxylic acids (including their salts, esters, halides and anhydrides) with ≥ 8 perfluorinated carbons;
 - Perfluoroalkane sulfonic acids and perfluoro phosphonic acids (including their salts, esters, halides and anhydrides) with ≥ 9 perfluorinated carbons;
 - Perfluorooctane sulfonic acid and its derivatives (PFOS), as listed in Annex I of POPs Reguration.
- (8) When PFOAs are contained in mixtures applied to the article, we have determined that the denominator for calculating the concentration may be the total mass of articles and mixtures (after volatilization / after reaction) with reference to "Guidance on requirements for substances in articles" issued by ECHA. However, this interpretation may be changed due to revisions of laws and regulations.
- (9) For equipments used to manufacture semi-conductors, latex printing inks, and medical devices other than implantable medical devices, which were allowed to be excluded for a certain period of time, the exclusion deadline has changed as follows due to the shift from REACH Regulation to POPs Regulation.
 - latex printing inks; until 3 Dec 2020
 - medical devices other than implantable ones, within the scope of Regulation (EU) 2017/745; until 3 Dec 2020.
 - equipments used to manufacture semi-conductors; no exclusion
- (10) This PBDEs refer to tetra BDE (tetrabromodiphenyl ether), penta BDE, hexa BDE, hepta BDE, and deca BDE.
- (11) "ANNEX XVII Entry 63 of REACH Regulation (EC) No 1907/2006" shall not apply to the following articles. (Refer to the Official Journal of the European Union / COMMISSION REGULATION (EU) 2015/628 for more information.)
 - (1) Articles placed on the market for the first time before 1 June 2016
 - (2) Articles within the scope of Directive 2011/65/EU of the European Parliament and of the Council
- (12) "ANNEX XVII Entry 72 of REACH Regulation (EC) No 1907/2006" shall not apply to the following uses.
 - (1) Clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather. fur or hide
 - (2) Non-textile fasteners and non-textile decorative attachments
 - (3) Second-hand clothing, related accessories, textiles other than clothing or footwear
 - (4) Wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners
 - (5) Personal protective equipment within the scope of Regulation (EU) 2016/425 and medical devices within the scope of Regulation (EU) 2017/74
 - (6) Disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
- (13) The following substances are covered.
 - (1) Linear and branched perfluorocarboxylic acids of the formula CnF2n +1-C(= O)OH where n = 8, 9, 10, 11, 12, or 13 (C9-C14 PFCAs), including their salts, and any combinations.
 - (2) Any C9-C14 PFCA-related substance having a perfluor group with the formula CnF2n +1- directly attached to another carbon atom, where n = 8, 9, 10, 11, 12, or 13, including their salts and any combinations.
 - (3) Any C9-C14 PFCA-related substance having a perfluoro group with the formula CnF2n +1- that it is not directly attached to another carbon atom, where n = 9, 10, 11, 12, 13 or 14 as one of the structural elements, including their salts and any combinations. The following substances are excluded.
 - -CnF2n +1- \dot{X} , where X = F, Cl, or Br
 - where n = 9, 10, 11, 12, 13 or 14, including any combinations thereof,
 - -CnF2n +1-C(= O)OX' where n> 13 and X'=any group, including salts.
- (14) No.42 in "Textile articles" means refers to apparel, accessories, backpacks, handbags, carrying cases, straps, and other products made entirely or partially of textiles. Products and packaging materials that use textiles such as leather, non-woven fabrics, sponges, etc. are also included in "textile articles".

Annex 1. Applications exempted from the RoHS Directive Annex III

The following table lists the applications exempted from the RoHS Directive as of October 1, 2023. As a principle, these applications are exempted from Section I-1, "Prohibited Chemical Substances". In principle, the prohibited dates of delivery to Nikon-Trimble will be one year before the expiration dates of exemption.

However, the Annex of RoHS Directive is subject to continual revision, make sure to check the European Commission website for the latest information.

https://environment.ec.europa.eu/topics/waste-and-recycling/rohs-directive/implementation-rohs-directive en

		Expiration date (1), (2)				
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)	
1	Mercury in single capped (compact) fluorescent lamps		g (per burner):			
1(a)	For general lighting purposes < 30 W : 2.5mg	Expired on February 24, 2023				
1(b)	For general lighting purposes ≥ 30 W and < 50 W : 3.5mg	Expired on February 24, 2023				
1(c)	For general lighting purposes ≥ 50 W and < 150 W : 5mg	Expired on February 24, 2023				
1(d)	For general lighting purposes ≥ 150 W : 15mg	Expired on February 24, 2023				
1(e)	For general lighting purposes with circular or square structural shape and tube diameter ≤ 17 mm : 7mg	Expired on February 24, 2023				
1(f)-I 1(f)-II	For lamps designed to emit mainly light in the ultraviolet spectrum: 5 mg For special purposes : 5mg	February 24, 2027 February 24, 2025				
1(g)	For general lighting purposes < 30 W with a lifetime equal or above 20,000 h : 3.5mg	Expired on August 24, 2023	rebidar	y 24, 2023		
2(a)	Mercury in double-capped linear fluorescent lamps for		ng purposes no	ot exceeding (per lamp):	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2) : 4mg	Expired on February 24, 2023				
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5) : 3mg	Expired on February 24, 2023				
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8) : 3.5mg	Expired on February 24, 2023				
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter > 28 mm (e.g. T12) : 3.5mg	Expired on February 24, 2023				
2(a)(5)	Tri-band phosphor with long lifetime (≥ 25,000 h) : 5mg	Expired on February 24, 2023				
2(b)	Mercury in other fluorescent lamps not exceeding (per	lamp):	<u> </u>			
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9) : 15mg		Expired on Fe	bruary 24, 202	23	
	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9) : 10mg	February 24, 2023 – February 24, 2025				
2(b)(4) -l	Lamps for other general lighting and special purposes (e.g. induction lamps) : 15mg	February 24, 2025				
2(b)(4) -II	Lamps emitting mainly light in the ultraviolet spectrum: 15 mg		February	y 24, 2027		
2(b)(4) -III	Emergency lamps: 15 mg		February	y 24, 2027		

	cations exempted from the RoHS Directive Ani	Expiration date (1), (2)				
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)	
3	Mercury in cold cathode fluorescent lamps and exter special purposes used in EEE placed on the market					
3(a)	Short length (≤ 500 mm) : 3.5mg		February	y 24, 2025		
3(b)	Medium length (> 500 mm and ≤ 1,500 mm) : 5mg		February	/ 24, 2025		
3(c)	Long length (> 1,500 mm) : 13mg		February	/ 24, 2025		
4(a)	Mercury in other low pressure discharge lamps (per lamp) : 15mg		Expired on Fel	bruary 24, 202	3	
4(a)-l	Mercury in low pressure non-phosphor coated discharge lamps, where the application requires the main range of the lamp-spectral output to be in the ultraviolet spectrum: up to 15 mg mercury may be used per lamp		February	y 24, 2027		
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 80: P ≤ 105 W: 16 mg may be used per burne	February 24, 2027				
4(b)-l	P ≤ 155W: 30mg		Expired on Fel	bruary 24, 202	3	
4(b)-II	155W < P ≤ 405W: 40mg		Expired on Fel	bruary 24, 202	3	
4(b)-III	405W < P: 40mg		•	bruary 24, 202		
4(c)	Mercury in other High Pressure Sodium (vapour) lamp (per burner):	s for general l	ighting purpos	es not exceedi	ing	
4(c)-l	P ≤ 155 W : 20mg		February	/ 24, 2027		
4(c)-II	155 W < P ≤ 405 W : 25mg		February	y 24, 2027		
4(c)-III	405 W < P : 25mg			/ 24, 2027		
4(e)	Mercury in metal halide lamps (MH)		February	/ 24, 2027		
4(f)-I	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex		February	y 24, 2025		
4(f)-II	Mercury in high pressure mercury vapour lamps used in projectors where an output ≥ 2000 lumen ANSI is required		February	y 24, 2027		
4(f)-III	Mercury in high pressure sodium vapour lamps used for horticulture lighting		February	y 24, 2027		
4(f)-IV	Mercury in lamps emitting light in the ultraviolet spectrum			y 24, 2027	,	
5(a)	Lead in glass of cathode ray tubes	Expired on July 21, 2016	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024	
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	Pending	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024	
6(a)	Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight	June 30, 2019 (Shifted to 6(a)-l)	Pending ⁽³⁾	Pending ⁽³⁾	Pending ⁽³⁾	
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight	Pending				
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	June 30, 2019 (Shifted to 6(b)-I, II)	Pending ⁽³⁾	Pending ⁽³⁾	Pending ⁽³⁾	
6(b)-l	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling	Pending				

			Expiration	date (1), (2)	
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight	Pending			
6(c)	Copper alloy containing up to 4 % lead by weight	Pending	Pending ⁽³⁾	Pending ⁽³⁾	Pending ⁽³⁾
7(a)	Lead in high melting temperature type solders (i.e. lead- based alloys containing 85 % by weight or more lead)	Pending	Pending ⁽³⁾	Pending ⁽³⁾	Pending ⁽³⁾
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	Expired on July 21, 2016	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
7(c)-l	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Pending ⁽³⁾	Pending ⁽³⁾	Pending ⁽³⁾	Pending ⁽³⁾
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	Pending	Pending	Pending	Pending
7(c)-III	For spare parts for EEE placed on the market before January 1, 2013, lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Indefinite period			
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors which are part of integrated circuits or discrete semiconductors	Expired on July 21, 2021	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
8(a)	For spare parts for EEE placed on the market before January 1, 2012, cadmium and its compounds in one shot pellet type thermal cut-offs	Indefinite period			
8(b)	Cadmium and its compounds in electrical contacts	February 29, 2020 (Shifted to 8(b)-I)	Pending	Pending	Pending
8(b)-I	Cadmium and its compounds in electrical contacts used in: - circuit breakers, - thermal sensing controls, - thermal motor protectors (excluding hermetic thermal motor protectors) - AC switches rated at: - 6 A and more at 250 V AC and more, or - 12 A and more at 125 V AC and more, - DC switches rated at 20 A and more at 18 V DC and more, and - switches for use at voltage supply frequency ≥ 200 Hz.	Pending			
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	March 5, 2020 (Shifted to 9(a)-I, II)	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
9(a)-II	Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators: —designed to operate fully or partly with electrical heater, having an average utilised power input ≧75 W at constant running conditions, —designed to fully operate with non-electrical heater.	Pending			
9(b)	Lead in bearing shells and bushes for refrigerant- containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024

			Expiration	n date (1),(2)	
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)
11(a)	For spare parts for EEE placed on the market before September 24, 2010, lead used in C-press compliant pin connector systems	Indefinite period			
11(b)	For spare parts for EEE placed on the market before January 1, 2013, lead used in other than C-press compliant pin connector systems	Indefinite period			
12	For spare parts for EEE placed on the market before September 24, 2010, lead as a coating material for the thermal conduction module C-ring	Indefinite period			
13(a)	Lead in white glasses used for optical applications	Pending	Pending	Pending	Pending
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards		Pending	Pending	Pending
13(b)-l	Cadmium and lead in filter glasses and glasses used for reflectance standards	Pending			
13(b)-II	Cadmium in striking optical filter glass types; excluding applications falling under point 39 of this Annex	Pending			
13(b)-III	Cadmium and lead in glazes used for reflectance standards	Pending			
14	For spare parts for EEE placed on the market before January 1, 2011, lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Indefinite period			
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	February 29, 2020 (Shifted to 15(a))	Pending	Pending	Pending
15(a)	Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies: - a semiconductor technology node of 90 nm or larger; - a single die of 300 mm2 or larger in any semiconductor technology node; - stacked die packages with die of 300 mm2 or larger, or silicon interposers of 300 mm2 or larger.	Pending			
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi ₂ O ₅ :Pb)	Pending	Pending	Expired on July 21, 2023	July 21, 2024
18(b)-I	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi2O5:Pb) when used in medical phototherapy equipment	(Cat.5) Pending	(Cat. 8) Pending	Expired on July 21, 2021	
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	February 29, 2020 (Shifted to 21(a)-(c))	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
23	For spare parts for EEE placed on the market before September 24, 2010, lead in finishes of fine pitch components other than connectors with a pitch of 0.65 mm and less	Indefinite period			
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	Pending	Pending	Pending	Pending

	cations exempted from the RoHS Directive Ar	(33314		n date (1),(2)	
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (In-vitro diagnostic medical device)	Cat.9 (Industrial monitoring and control instruments)
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC	Pending	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
31	Lead in soldering materials in mercury free flat fluorescent lamps (which, e.g. are used for liquid crystal displays, design or industrial lighting)		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	Pending	Pending	Expired on July 21, 2023	Pending
33	Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
34	Lead in cermet-based trimmer potentiometer elements	Pending	Pending	Pending	Pending
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	Expired on July 21, 2021	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide		Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
39(a)	Cadmium selenide in downshifting cadmium- based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0,2 µg Cd per mm ² of display screen area)	Pending	Pending	Pending	Pending
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council	Expired on March 31, 2022	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024
42 (Cat.11)	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: —with engine total displacement ≥ 15 litres; or —with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.				

Applications exempted from the RoHS Directive Annex III (continued)

	ations exempted from the Norto Birective An	Expiration date (1),(2)			
No.	Exemption	Cat.1-7,10	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)
43 (Cat.11)	Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed: (a) 30 % by weight of the rubber for (i) gasket coatings; (ii) solid-rubber gaskets; or (iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine. (b) 10 % by weight of the rubber for rubbercontaining components not referred to in point (a). For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day.				
44 (Cat.11)	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council, installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users.				
45 (Cat.11)	Lead diazide, lead styphnate, lead dipicramate, orange lead (lead tetroxide), lead dioxide in electric and electronic initiators of explosives for civil (professional) use and barium chromate in long time pyrotechnic delay charges of electric initiators of explosives for civil (professional) use				

Notes:

- (1) Expiration date in Category 11 is in principle "July 21, 2024", five years after the start of application. And the expiration date in the newly added No.45 is "April 20,2026".
- (2) The expiration date of exemption has already filed, and the European Commission is under the discussion of exemption renewal or will discuss from now on, so it is "Pending".
- (3) Under extension, but we have set the following exclusion deadlines on our own initiative.

■6(a): July 2023 ■6(b): April 2023 ■6(c): July 2025

■7(a).

Use I to VII: July 2025
 Lead in high melting temperature type solders (i.e., lead-based alloys containing 85 % by weight or more lead) (excludes those in the scope of exemption 24)

- -I: For internal interconnections for attaching die, or other components along with a die in semiconductor assembly with steady state or transient/impulse currents of 0.1 A or greater or blocking voltages beyond 10 V, or die edge sizes larger than 0.3 mm x 0.3 mm
- -II: For integral (meaning internal and external) connections of die attach in electrical and electronic components, if the thermal conductivity of the cured/sintered die-attach material is >35W/(m*K) AND the electrical conductivity of the cured/sintered die-attach material shall be >4.7MS/m AND solidus melting temperature has to be above 260°C

Applications exempted from the RoHS Directive Annex III (continued)

- -III: In first level solder joints (internal or integral connections meaning internal and external) for manufacturing components so that subsequent mounting of electronic components onto subassemblies (i.e., modules or sub-circuit boards or substrates or point to point soldering) with a secondary solder does not reflow the first level solder. This item excludes die attach applications and hermetic sealings
- -IV: In second level solder joints for the attachment of components to printed circuit board or lead frames:
 - 1. in solder balls for the attachment of ceramic ball-grid-array (BGA)
 - 2. in high temperature plastic overmouldings (> 220 °C)
- -V: As a hermetic sealing material between:
 - 1. a ceramic package or plug and a metal case,
 - 2. component terminations and an internal sub-part
- -VI: For establishing electrical connections between lamp components in incandescent reflector lamps for infrared heating or high intensity discharge lamps or oven lamps
 - -VII: For audio transducers where the peak operating temperature exceeds 200°C
- Other than applications I VII: July 2023
 Lead in high melting temperature type solders (lead based alloys containing 85% by weight or more lead) when used for applications other than those in the above I VII (except those within the scope of exemption 24)

■7(c)-I: April 2024, but add the following

●7(c)-V: October 2025

Electrical and electronic components containing lead in a glass or glass matrix compound that fulfils the following functions:

- 1) protection and electrical insulation in glass beads of high voltage diodes and glass layers for wafer on the basis of a lead-zinc-borate or a lead-silica-borate glass body,
- 2) for hermetic sealings between ceramic, metal and/or glass parts
- 3) for bonding purposes in a process parameter window for < 500°C combined with a viscosity of 1013,3 dPas (so called "glass-transition temperature")
- 4) used as resistance materials such as ink, with a resistivity range from 1 Ohms/square to 1 Mega Ohms/square, excluding trimmer potentiometers
- 5) used in chemically modified glass surfaces for Microchannel Plates (MCPs), Channel Electron Multipliers (CEMs) and Resistive Glass Products (RGPs).
- ●7(c)-VI: October 2025

Electrical and electronic components containing lead in a ceramic that fulfils the following functions (excluding items covered under item 7(c)-II, 7(c)-III and 7(c)-IV of this annex):

- 1) piezoelectric lead zirconium titanate (PZT) ceramics
- 2) providing ceramics with a positive temperature coefficient (PTC)

Annex 2. Applications exempted from the RoHS Directive Annex IV

The following table lists the applications (cat.8: medical device, cat.9: monitoring and control instruments) exempted from the RoHS Directive as of October 1, 2023. As a principle, these applications are exempted from Section I-1, "Prohibited Chemical Substances". In principle, the prohibited dates of delivery to Nikon-Trimble will be one year before the expiration dates of exemption.

However, the Annex of RoHS Directive is subject to continual revision, make sure to check the European Commission website for the latest information.

https://environment.ec.europa.eu/topics/waste-and-recycling/rohs-directive/implementation-rohs-directive en

		E	Expiration date ⁽¹⁾			
No.	lo. Exemption		Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)		
1	Equipment utilising or detecting ionising radiation					
1	Lead, cadmium and mercury in detectors for ionising radiation	Pending	Expired on July 21, 2023	Pending		
2	Lead bearings in X-ray tubes	Pending	Expired on July 21, 2023	July 21, 2024		
3	Lead in electromagnetic radiation amplification devices: micro- channel plate and capillary plate	Pending	Pending	Pending		
4	Lead in glass frit of X-ray tubes and image intensifiers and lead in glass frit binder for assembly of gas lasers and for vacuum tubes that convert electromagnetic radiation into electrons	Expired on July 21, 2021	Expired on July 21, 2023	Pending		
5	Lead in shielding for ionising radiation	Pending	Expired on July 21, 2023	Pending		
6	Lead in X-ray test objects	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024		
7	Lead stearate X-ray diffraction crystals	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024		
8	Radioactive cadmium isotope source for portable X-ray fluorescence spectrometers	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024		
,	Sensors, detectors and electrodes					
1a	Lead and cadmium in ion selective electrodes including glass of pH electrodes	Pending	Pending	Pending		
1b	Lead anodes in electrochemical oxygen sensors	Pending	Expired on July 21, 2023	Pending		
1c	Lead, cadmium and mercury in infra-red light detectors	Pending	Pending	Pending		
1d	Mercury in reference electrodes: low chloride mercury chloride, mercury sulphate and mercury oxide	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024		
(Others					
9	Cadmium in helium-cadmium lasers	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024		
10	Lead and cadmium in atomic absorption spectroscopy lamps	Expired on July 21, 2021	Expired on July 21, 2023	Pending		
11	Lead in alloys as a superconductor and thermal conductor in MRI	Pending	Expired on July 21, 2023	July 21, 2024		
12	Lead and cadmium in metallic bonds creating superconducting magnetic circuits in MRI, SQUID, NMR (Nuclear Magnetic Resonance) or FTMS (Fourier Transform Mass Spectrometer) detectors.	Pending	Expired on June 30, 2021	Pending		
13	Lead in counterweights	Pending	Expired on July 21, 2023	July 21, 2024		
14	Lead in single crystal piezoelectric materials for ultrasonic transducers	Pending	Expired on July 21, 2023	July 21, 2024		
15	Lead in solders for bonding to ultrasonic transducers	Pending	Expired on July 21, 2023	July 21, 2024		

Applications exempted from the RoHS Directive Annex IV (continued)

7.6611	cations exempted from the ROHS Directive Annex IV (con-	Expiration date (1)			
No.	Exemption	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)	
16	Mercury in very high accuracy capacitance and loss measurement bridges and in high frequency RF switches and relays in monitoring and control instruments not exceeding 20 mg of mercury per switch or relay	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024	
17	Lead in solders in portable emergency defibrillators	Pending	Expired on July 21, 2023	July 21, 2024	
18	Lead in solders of high performance infrared imaging modules to detect in the range 8-14µm	Pending	Expired on July 21, 2023	July 21, 2024	
19	Lead in Liquid crystal on silicon (LCoS) displays	Expired on July 21, 2021	Expired on July 21, 2023	July 21, 2024	
20	Cadmium in X-ray measurement filters	Pending	Expired on July 21, 2023	July 21, 2024	
21	For spare parts placed on the EU market before January 1, 2020, Cadmium in spare parts for X-ray systems	Indefinite period	Indefinite period	Indefinite period	
26	Lead in — solders on printed circuit boards, — termination coatings of electrical and electronic components and coatings of printed circuit boards, — solders for connecting wires and cables, — solders connecting transducers and sensors, that are used durably at a temperature below – 20 °C under normal operating and storage conditions	Pending	Expired on June 30, 2021	Pending	
27	Lead in — solders, — termination coatings of electrical and electronic components and printed circuit boards, — connections of electrical wires, shields and enclosed connectors, which are used in (a) magnetic fields within the sphere of 1 m radius around the isocentre of the magnet in medical magnetic resonance imaging equipment, including patient monitors designed to be used within this sphere, or (b) magnetic fields within 1 m distance from the external surfaces of cyclotron magnets, magnets for beam transport and beam direction control applied for particle therapy	Pending	Pending	Expired on June 30, 2021	
29	Lead in alloys, as a superconductor or thermal conductor, used in cryo-cooler cold heads and/or in cryo-cooled cold probes and/or in cryo-cooled equipotential bonding systems, in medical devices (category 8) and/or in industrial monitoring and control instruments	Pending	Expired on June 30, 2021	Expired on June 30, 2021	
30	Hexavalent chromium in spare parts for X-ray systems placed on the EU market before January 1, 2020	Indefinite period	Indefinite period	Indefinite period	
31a	Lead, cadmium and hexavalent chromium in reused spare parts, recovered from medical devices placed on the market before July 22, 2014 and used in category 8 equipment placed on the market before July 22, 2021, provided that reuse takes place in auditable closed-loop business-to-business return systems, and that the reuse of parts is notified to the consumer	Pending	Pending	July 21, 2024	
33	Lead in solders on populated printed circuit boards used in Directive 93/42/EEC class IIa and IIb mobile medical devices other than portable emergency defibrillators				
35	Mercury in cold cathode fluorescent lamps for back-lighting liquid crystal displays, not exceeding 5 mg per lamp, used in industrial monitoring and control instruments placed on the market before 22 July 2017.			July 21, 2024	
36	Lead used in other than C-press compliant pin connector systems in spare parts for industrial monitoring and control instruments placed on the market before January 1, 2021.			Indefinite period	

Applications exempted from the RoHS Directive Annex IV (continued)

Appil	cations exempted from the RoHS Directive Annex IV (co		Expiration date ⁽¹)
No.	Exemption	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)
37	Lead in platinized platinum electrodes used for conductivity measurements where at least one of the following conditions applies: (a) wide-range measurements with a conductivity range covering more than 1 order of magnitude (e.g. range between 0.1 mS/m and 5 mS/m) in laboratory applications for unknown concentrations; (b) measurements of solutions where an accuracy of +/- 1 % of the sample range and where high corrosion resistance of the electrode are required for any of the following: (i) solutions with an acidity < pH 1; (ii) solutions with an alkalinity > pH 13; (iii) corrosive solutions containing halogen gas; (c) measurements of conductivities above 100 mS/m that must be performed with portable instruments.	December 31, 2025	December 31, 2025	December 31, 2025
38	Lead in solder in one interface of large area stacked die elements with more than 500 interconnects per interface which are used in spare parts for X-ray detectors of computed tomography and X-ray systems.	Indefinite period	Indefinite period	Indefinite period
39	Lead in micro-channel plates (MCPs) used in equipment where at least one of the following properties is present: (a) a compact size of the detector for electrons or ions, where the space for the detector is limited to a maximum of 3 mm/MCP (detector thickness + space for installation of the MCP), a maximum of 6 mm in total, and an alternative design yielding more space for the detector is scientifically and technically impracticable; (b) a two-dimensional spatial resolution for detecting electrons or ions, where at least one of the following applies: (i) a response time shorter than 25 ns; (ii) a sample detection area larger than 149 mm²; (iii) a multiplication factor larger than 1.3 X10³. (c) a response time shorter than 5 ns for detecting electrons or ions; (d) a sample detection area larger than 314 mm² for detecting electrons or ions; (e) a multiplication factor larger than 4.0 X10².	Pending	Pending	Pending
40	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC in spare parts for industrial monitoring and control instruments placed on the market before 1 January 2021.			Indefinite period
42	Mercury in electric rotating connectors used in intravascular ultrasound imaging systems capable of high operating frequency (> 50 MHz) modes of operation.	July 30, 2026		
43	Cadmium anodes in Hersch cells for oxygen sensors used in industrial monitoring and control instruments, where sensitivity below 10ppm is required.			Expired on July 15, 2023
44	Cadmium in radiation tolerant video camera tubes designed for cameras with a centre resolution greater than 450 TV lines which are used in environments with ionising radiation exposure exceeding 100 Gy/hour and a total dose in excess of 100kGy.	March 31, 2027 (Category 9)		March 31, 2027
45	Bis(2-ethylhexyl) phthalate (DEHP) in ion-selective electrodes applied in point of care analysis of ionic substances present in human body fluids and/or in dialysate fluids	July 21, 2028 (Category 8)	July 21, 2028	
46	Bis(2-ethylhexyl) phthalate (DEHP) in plastic components in MRI detector coils.	Pending (Category 8)	Pending	

Applications exempted from the RoHS Directive Annex IV (continued)

		Expiration date (1)			
No.	Exemption	Cat.8, 9 other than listed at right	Cat.8 (in-vitro diagnostic medical device)	Cat.9 (industrial monitoring and control instruments)	
47	Bis(2-ethylhexyl) phthalate (DEHP), butyl benzyl phthalate (BBP), dibutyl phthalate (DBP) and diisobutyl phthalate (DIBP) in spare parts recovered from and used for the repair or refurbishment of medical devices, including in vitro diagnostic medical devices, and their accessories, provided that the reuse takes place in auditable closed-loop business-to-business return systems and that each reuse of parts is notified to the customer.	July 21, 2028 (Category 8)	July 21, 2028		
48	Lead in bismuth strontium calcium copper oxide (BSCCO) superconductor cables and wires and lead in electrical connections to these wires	June 30, 2027	June 30, 2027	June 30, 2027	
49	Mercury in melt pressure transducers for capillary rheometers at temperatures over 300 °C and pressures over 1000 bar	December 31, 2025 (Category 9)		December 31, 2025	

Notes:

⁽¹⁾ The expiration date of exemption has already filed, and the European Commission is under the discussion of exemption renewal or will discuss from now on, so it is "Pending".

I-2. Controlled Chemical Substances

Sections I-2-(1) and I-2-(2) show the chemical substances that must be appropriately managed when procured Items (finished products, parts and materials, packaging materials) contain them. For these chemical substances, suppliers are required to maintain a system to provide information on the type and amount used, part of the product where used, etc., immediately upon request of Nikon-Trimble. Note that the legal and regulatory, thresholds, and others are listed for the purpose of reference in Section I-2-(1).

I-2-(1) Controlled Chemical Substances

No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
1	Candidate substances for authorization of REACH Regulation (SVHC) Refer to the SVHC list in I-2-(2).	Article 33 of REACH Regulation (EC) No 1907/2006	All	0.1% by weight (1,000 ppm) in a part or material (5)	
2	Beryllium oxide (BeO)	EU WEEE Directive 2002/96/EC	All	0.1% by weight (1,000 ppm) in a part	Ceramics
		Relevant substance Substance name Beryllium oxide (BeO)			CAS No. 1304-56-9
3	Brominated flame retardants (other than PBBs, PBDEs, or HBCDD)	JS709	Plastic materials except laminated printed board ⁽¹⁾	0.1% total bromine content by weight (1,000 ppm) in plastic material	Flame retardant for housing, connector, package molding sealing
	, , ,	•IPC-4101 •IEC61249-2-21	Laminated printed board ⁽¹⁾	0.09% total bromine content by weight (900 ppm) in a laminated board	Flame retardant
		Representative exam			
		Substance name Brominated flame reta ISO 1043-4 code numl compounds]	CAS No.		
		Brominated flame retal ISO 1043-4 code number compounds in combinations.	oer FR(15) [Aliphatic/a ation with antimony c	alicyclic brominated ompounds]	_
		Brominated flame retal 1043-4 code number FR(16) [/ excluding brominated	Aromatic brominated diphenyl ether and bi	compounds phenyls)]	_
		Brominated flame retal ISO 1043-4 code number compounds excluding biphenyls) in combinat	_		
		Brominated flame reta ISO 1043-4 code numbers and brominated compounds	-		
		Brominated flame retal ISO 1043-4 code numi phosphorus compound	_		
		Poly(2,6-dibromo-pher	nylene oxide)		69882-11-7
		Tetra-decabromo-diphe			58965-66-5
		1,2-Bis(2,4,6-tribromo- 3,5,3',5'-Tetrabromo-b	onenoxy) etnane isphenol A (TBBA)		37853-59-1 79-94-7
			,		

Brominated flame	TBBA, unspecified	30496-13-0
retardants	TBBA-epichlorhydrin oligomer	40039-93-8
(other than PBBs,	TBBA-TBBA-diglycidyl-ether oligomer	70682-74-5
PBDEs, or HBCDD)	TBBA carbonate oligomer	28906-13-0
(conitinued)	TBBA carbonate oligomer, phenoxy end capped	94334-64-2
	TBBA carbonate oligomer, 2,4,6-tribromo-phenol terminated	71342-77-3
	TBBA-bisphenol A-phosgene polymer	32844-27-2
	Brominated epoxy resin end-capped with tribromophenol	139638-58-7
	Brominated epoxy resin end-capped with tribromophenol	135229-48-0
	TBBA-(2,3-dibromo-propyl-ether)	21850-44-2
	TBBA bis-(2-hydroxy-ethyl-ether)	4162-45-2
	TBBA-bis-(allyl-ether)	25327-89-3
	TBBA-dimethyl-ether	37853-61-5
	Tetrabromo-bisphenol S	39635-79-5
	TBBS-bis-(2,3-dibromo-propyl-ether)	42757-55-1
	2,4-Dibromo-phenol	615-58-7
	2,4,6-tribromo-phenol	118-79-6
	Pentabromo-phenol	608-71-9
	2,4,6-Tribromo-phenyl-allyl-ether	3278-89-5
	Tribromo-phenyl-allyl-ether, unspecified	26762-91-4
	Bis(methyl)tetrabromo-phthalate	55481-60-2
	Bis(2-ethylhexyl)tetrabromo-phthalate	26040-51-7
	2-Hydroxy-propyl-2-(2-hydroxy-ethoxy)-ethyl-TBP	20566-35-2
	TBPA, glycol-and propylene-oxide esters	75790-69-1
	N,N'-Ethylene –bis-(tetrabromo-phthalimide)	32588-76-4
	Ethylene-bis(5,6-dibromo-norbornane-2,3-dicarboximide)	
	2,3-Dibromo-2-butene-1,4-diol	52907-07-0 3234-02-4
	,	
	Dibromo-neopentyl-glycol	3296-90-0 96-13-9
	Dibromo-propanol	
	Tribromo-neopentyl-alcohol	36483-57-5
	Poly tribromo-styrene	57137-10-7
	Tribromo-styrene	61368-34-1
	Dibromo-styrene grafted PP	171091-06-8
	Poly-dibromo-styrene	31780-26-4
	Bromo-/Chloro-paraffins	68955-41-9
	Bromo-/Chloro-alpha-olefin	82600-56-4
	Vinylbromide	593-60-2
	Tris-(2,3-dibromo-propyl)-isocyanurate	52434-90-9
	Tris(2,4-Dibromo-phenyl) phosphate	49690-63-3
	Tris(tribromo-neopentyl) phosphate	19186-97-1
	Chlorinated and brominated phosphate ester	125997-20-8
	Pentabromo-toluene	87-83-2
	Pentabromo-benzyl bromide	38521-51-6
	1,3-Butadiene homopolymer, brominated	68441-46-3
	Pentabromo-benzyl-acrylate, monomer	59447-55-1
	Pentabromo-benzyl-acrylate, polymer	59447-57-3
	Decabromo-diphenyl-ethane	84852-53-9
	Tribromo-bisphenyl-maleinimide	59789-51-4
	Tetrabromo-cyclo-octane	31454-48-5
	1,2-Dibromo-4-(1,2 dibromo-methyl)-cyclo-hexane	3322-93-8
	Tetrabromophthalic acid Na salt	25357-79-3
	Tetrabromo phthalic anhydride	632-79-1
	Octabromo-1,1,3-trimethyl-1-phenylindane (FR-1808)	155613-93-7

	Controlled Chemica	l Substances (continue	a)		1
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use
4	Chlorinated flame retardants	JS709	Plastic materials except laminated printed board ⁽¹⁾	0.1% total chlorine content by weight (1,000 ppm) in plastic material	Flame retardant for housing, connector, package molding sealing
		•IPC-4101 •IEC61249-2-21	Laminated printed board ⁽¹⁾	0.09% total chlorine content by weight (900 ppm) in a laminated board	Flame retardant
		Representative examp	les of relevant substa	nce	
		Substance name			CAS No.
		Tetrakis(2-chloroethyl)		osphate	38051-10-4
		Tris(1-chloro-2-propyl)	phosphate		13674-84-5
		Tris(2,3-dichloro-1-proj		I., , , ,	66108-37-0
5	Nickel ⁽⁴⁾ /Nickel compounds	ANNEX XVII Entry 27 of REACH Regulation (EC) No 1907/2006	All, where prolonged skin contact is expected ⁽⁴⁾	Intentionally added ^{(2), (3)}	Stainless steel, plating (Example application for prolonged skin contact: headphone)
		Representative examp	les of relevant substar	nce	
		Substance name	ics of relevant substai	100	CAS No.
		Nickel			7440-02-0
		Nickel(II) sulfate hexah	ydrate		10101-97-0
		Nickel oxide			11099-02-8
		Nickel dihydroxide			12054-48-7
6	Perchlorates	US/ California Perchlorate Contamination Prevention Act of 2003	All	0.0000006% by weight (0.006 ppm) of the product	Coin cell batteries
		Representative examp	les of relevant substa	nce	
		Substance name	les of relevant substai	ice	CAS No.
		Lithium perchlorate			7791-03-9
7	Diisodecycl phthalate (DIDP)	•ANNEX XVII Entry 52 of REACH Regulation (EC) No 1907/2006 •U.S. Consumer Product Safety Improvement Act (CPSIA)	Plastic material	0.1% by weight (1,000 ppm) in plasticized material	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant
		Relevant substances			
		Substance name			CAS No.
		Diisodecycl phthalate (DIDP)		26761-40-0 68515-49-1
8	Diisononyl phthalate (DINP)	•ANNEX XVII Entry 52 of REACH Regulation (EC) No 1907/2006 •U.S. Consumer Product Safety Improvement Act (CPSIA)	Plastic material	0.1% by weight (1,000 ppm) in plasticized material	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant
		Polovent aubstance			
		Relevant substances Substance name			CAS No.
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		28553-12-0
		Diisononyl phthalate (D	NNP)		68515-48-0

	Controlled Chomica	Substances (contin	lueu)				
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use		
9	Di-n-octyl phthalate (DNOP)	•ANNEX XVII Entry 52 of REACH Regulation (EC) No 1907/2006 •U.S. Consumer Product Safety Improvement Act (CPSIA)	Plastic material	0.1% by weight (1,000 ppm) in plasticized material	Plasticizer, dye, pigment, paint, ink, adhesive, lubricant		
		Relevant substance	s				
		Substance name Di-n-octyl phthalate	(DNOP)		CAS No. 117-84-0		
10	Polyvinyl chloride (PVC) / PVC compounds	JS709	Plastic materials except applications specified as prohibited chemical substances	0.1% total chlorine content by weight (1,000 ppm) in plastic material	Insulator, cable coating, film, tube, tamperproof labels, clam-shell packs		
		Representative exa	mples of relevant su	ıbstance			
		Substance name	•		CAS No.		
11	Perfluorohexanoic	Polyvinyl chloride (F Additional candidate	PVC) All	Intentionally added ⁽²⁾	9002-86-2 Carpets, leather,		
	acid (PFHxA), its salts and PFHxA- related substances	substances to ANNEX XVII of REACH Regulation (EC) No 1907/2006	All	O.0000025% by weight (25 ppb) of PFHxA including its salts in a mixture or an article O.0001% by weight (1ppm, 1000ppb) of one or a combination of PFHxA-related substances in a mixture or an article	textile, paper, plating, electronic components		
		Representative exa	mples of relevant su	ıbstance			
		Substance name	•		CAS No.		
		Perfluorohexanoic a Undecafluorohexan			307-24-4		
		Sodium perfluorohe			2923-26-4		
		Ammonium perfluor			21615-47-4		
12	Long-chain perfluoroalkyl carboxylate (LCPFACs) and perfluoroalkyl sulfonate chemicals	US TSCA Significant New Use Rule (SNUR)	Surface coating of articles	Intentionally added (2)	Extinguishing agent, water repellent, surface-active agent, anti-rust, etching solution, antireflection coating, photoresist		
		Relevant substances					
		Substance name CAS No.					
		Perfluorooctyl iodide (Octane, 1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8- heptadecafluoro-8-iodo-) Tetrahydroperfluoro-1-decanol					
			5,5,6,6,7,7,8,8,9,9,1	0,10,10- heptadecafluoro-)	678–39–7		
		(1-Dodecanol,3,3,4, heneicosafluoro-)	4,5,5,6,6,7,7,8,8,9,9	,10,10,11,11,12,12,12-	865–86–1		
		Perfluorodecyl iodid (Decane, 1,1,1,2,2		3,8-heptadecafluoro-10-iodo	-) 2043–53–0		

	Controlled Chemica	Substances (continued)					
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use		
12	Long-chain	1,1,2,2-Tetrahydroperfluc					
	perfluoroalkyl carboxylate	(Dodecane,1,1,1,2,2,3,3,4 heneicosafluoro-12-iodo-))	,10,10-	2043–54–1		
	(LCPFACs) and perfluoroalkyl sulfonate chemicals	Perfluorodecylethyl acryla (2-Propenoic acid, 3,3,4,4 heneicosafluorododecyl e	4,5,5,6,6,7,7,8,8,9,9,1	0,10,11,11,12,12,12-	17741–60–5		
		(2-Propenoic acid,3,3,4,4	1,1,2,2-Tetrahydroperfluorodecyl acrylate (2-Propenoic acid,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl ester)				
		1,1,1,2,2,3,3,4,4,5,5,6,6,7 Pentacosafluoro -14-iodo	1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12- Pentacosafluoro -14-iodotetradecane (Tetradecane, 1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,				
		3,3,4,4,5,5,6,6,7,7,8,8,9,9 Pentacosafluorotetradeca (1-Tetradecanol,3,3,4,4,5 13,13,14,14, 14-pentacos	9,10,10,11,11,12,12,13 an-1-ol ,5,6,6,7,7,8,8,9,9, 10		39239–77–5		
		3,3,4,4,5,5,6,6,7,7,8,8,9,9 16,16-Nonacosafluorohex (1- Hexadecanol,3,3,4,4,5 13,13,14,14,15,15,16,16,	9,10,10,11,11,12,12,13 kadecan-1-ol 5,5,6,6,7,7,8,8,9,9,10,		60699–51–6		
		1,1,1,2,2,3,3,4,4,5,5,6,6,7 Nonacosafluoro-16-iodoh (Hexadecane,1,1,1,2,2,3, ,13,13,14,14-nonacosaflu	7,7,8,8,9,9,10,10,11,1 exadecane 3,4,4,5,5,6,6,7,7,8,8,9		65510–55–6		
			Sodium;2-methylpropane-1-sulfonate (1-Propanesulfonic acid, 2-methyl-, 2-[[1-oxo-3-[(γ-ω-perfluoro- C4- 68				
		1,1,2,2-Tetrahydroperfluc (Alcohols, C8-14, γ-ω- pe	68391–08–2				
		Thiols, C8–20, y-ω-perflu	Thiols, C8–20, γ-ω-perfluoro, telomers with acrylamide				
		Silicic acid (H4SiO4), soc chlorotrimethylsilane and heptadecafluoro-1-decand (Silicic acid (H4SiO4), so chlorotrimethylsilane and heptadecafluoro-1-decand	l 3,3,4,4,5,5,6,6,7,7,8 ol dium salt (1:2), reacti l 3,3,4,4,5,5,6,6,7,7,8	0,8,9,9,10,10,10- on products with	125476–71–3		
		Thiols, C4–20, γ-ω-perflu acid, sodium salts	ioro, telomers with ac		1078712–88–5		
		1-Propanaminium, 3-amii ((γ-ω-perfluoro-C4–20- a	lkyl)thio)acetyl) deriv		10/0/15-01-3		
		Polyfluoroalkyl betaine (g (Polyfluoroalkyl betaine (l	PROVISIONAL).)		EPA accession number ⁽⁶⁾ 71217		
		Modified fluoroalkyl ureth (Modified fluoroalkyl ureth	nane (PROVISIONAL))	EPA accession number ⁽⁶⁾ 89419		
			Perfluorinated polyamine (generic) (Perfluorinated polyamine (PROVISIONAL))				
13	C.I.Pigment Violet	US TSCA Risk Evaluation Substances	All	Intentionally added (2)	Paint, pigment		
	(PV29)						
		Relevant substances					
		Substance name CAS No. C.I. Pigment Violet 29 (PV29) 81-33-4					
14	Tetrabromo Bisphenol A (TBBPA)	Additional candidate substances to Annex II of the EU RoHS Directive	All	Intentionally added (2)	Flame retardant		
	(IDDFA)	and Ed North Birdonyo		l .	<u> </u>		
		Relevant substances					
		Substance name			CAS No.		
		Tetrabromobisphenol A	TBBPA)		79-94-7		
		· · · · · · · · · · · · · · · · · · · 					

	Controlled Chemica	Substances (continued)	ı			
No.	Substance/ Category	Key Legal and Regulatory or Industry Standard	Application(s)	Threshold Level	Examples of Use		
15	Medium chain chlorinated paraffins (MCCP) [with carbon chain	Additional candidate substances to Annex A (Elimination) of POPs Convention	All	Intentionally added ⁽²⁾	Flame retardant resin materials		
	lengths in the range						
	C14–17 and chlorination levels	Representative examples of relevant substance Substance name CAS No					
	at or exceeding	Chloroalkanes(C=14-17)			85535-85-9		
	45 per cent chlorine	Oniordalica(0-14-17)			00000-00-9		
	by weight]			Intentionally			
16	Per- and polyfluoroalkyl substances (PFAS)	•US TSCA •U.S. Maine LD1503	All	Water repellent, extinguishing agents,surface coating,lubricant			
		Representative examples of	of relevant substance				
		Substance name	Televant substance		CAS No.		
		6:2 Fluorotelomer sulfona	mide betaine		34455-29-3		
		1,1,2-Trichloro-1,2,2-trifluo	proethane		76-13-1		
		Perfluorobutanesulfonyl fl	uorid		375-72-4		
		Nonafluoro-1-iodobutane			423-39-2		
		Perfluoro(4-methyl-3,6-dic			16090-14-5		
		Methyl perfluoro-3-[(perfluorooctanesulfonyl fl		/i)oxyjpropanoate	69116-72-9 307-35-7		
		1H,1H,2H-Perfluorocyclop			15290-77-4		
		Trifluoro(trifluoromethyl)ox			428-59-1		
		Perfluoro(N-methylmorpho			382-28-5		
		3-(Perfluorohexyl)-1,2-epo			38565-52-5		
		3-Methyl-3-[[(3,3,4,4,5,5,6	,6,6-nonafluorohexyl)		475678-78-5		
		2,3,3,3-Tetrafluoro-2-(triflu		rile	42532-60-5		
		Perfluoropropyl trifluorovi	1623-05-8				
		2,3,3,3-Tetrafluoro-2-(perf	1682-78-6				
		Hexafluoroamylene glyco 3,3,4,4,5,5,6,6,6-Nonafluo	376-90-9 27619-88-1				
		1H,1H,5H-Perfluoropental	355-80-6				
		Perfluoro(2-methyl-3-oxah			2062-98-8		
		2H-Perfluoro-5-methyl-3,6			3330-14-1		
		Perfluorohexane			355-42-0		
		Octafluorocyclobutane			115-25-3		
		Perflunafene			306-94-5		
4=	D	2:1 Fluorotelomer alcohol		1	422-05-9		
17	Decabromodiphenyl ethane (DBDPE)	Additional candidate substances to the Canada prohibition of Certain Toxic Substances Regulations	All	Intentionally added (2)	Flame retardant		
		Б					
		Representative examples of	of relevant substance		CACNe		
		Substance name Decabromodiphenyleth a	no (DRDDE)		CAS No. 84852-53-9		
18	4'-	Additional candidate	All	Intentionally	Resin materials,		
10	Isopropylidenediphe nol	substances to ANNEX XVII of	All	added (2)	PVC additives		
	(Bisphenol A, BPA) and bisphenols of similar concern	REACH Regulation (EC) No 1907/2006					
		Representative examples of	of relevant substance				
		Substance name CAS No.					
		4,4'-Isopropylidenedipher			80-05-7		
		4,4'-(1-methylpropylidene	<i>,</i>	ol B)	77-40-7		
		Bis(4-hydroxyphenyl) Sul	<u> </u>		80-09-1		
		4,4'-Methylenediphenol (620-92-8		
		2,2-Bis(4-hydroxyphenyl)	hexafluoropropane (B	isphenol AF)	1478-61-1		

Notes:

- (1) A laminated printed wiring board refers to the layered board materials excluding surface finishing and components
- (2) Intentionally added: It means that the corresponding substance or compound including the corresponding substance is intentionally added during manufacturing process, etc., irrespective of quantity.

 Ordinary impurities do not fall under this category.
 - The substance, for which "Intentionally added" is written in its threshold field, must not be intentionally added.
- (3) Regulatory thresholds for substances in these applications are based on emission or exposure limits rather than on the concentration in the product. The regulatory limits are:
 - •Nickel released from the parts coming into direct and prolonged contact with the skin : 0,5 µg/cm²/week (Based on DIN EN 1811)
 - Because emission and exposure levels cannot be derived from actual concentrations, a threshold level of "intentionally added" is indicated for reporting. Suppliers may choose to report a default concentration of 0.1% by weight in the product for these substances, in lieu of determining the exact concentrations in their products, to indicate that the substance is known to be present in their product, as the actual concentration in the product is not informative for regulatory compliance assessment.
- (4) Nickel must be reported in certain regulated applications where it is likely to result in prolonged skin exposure (e.g., an outer enclosure for a portable electronic product designed to be carried). Use of nickel or nickel contained in components and parts designed to be located inside the outer enclosure of a product need not be reported.
- (5) According to the judgement of European Court of Justice on September 2015, in principle the denominator of the threshold (control value) would be a part or material constituting the product.
- (6) CAS number of these substances is not disclosed due to CBI (confidential business information).

I-2-(2) SVHCs of REACH Regulation

SVHCs of REACH Regulation are subject to continual addition, and suppliers should be responsible for always ensuring that they refer to the latest version. The following table lists the SVHCs as of October 1, 2023. Refer to the following ECHA website for the latest SVHCs information.

https://echa.europa.eu/candidate-list-table

Besides, some of SVHCs are defined to be the "prohibited chemical substances". Refer to the list of Section I-1. "Prohibited Chemical Substances" for the substances marked as "PCS" in the remarks column of the following list.

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
1	Anthracene	204-371-1	120-12-7	Raw material of carbon black, stabilizer	
2	4,4'-Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	Hardening agent	PCS No.18
3	Dibutyl phthalate	201-557-4	84-74-2	Plasticizer, softening agent	PCS No.26
4	Cobalt dichloride	231-589-4	7646-79-9	Drying agent, pigment, coloring agent	
5	Diarsenic pentaoxide	215-116-9	1303-28-2	addition agent for glass, wood preservative, dye	(7) PCS No.28
6	Diarsenic trioxide	215-481-4	1327-53-3	Decolorant for glass and enamel, wood preservative, material for catalyzer	(7) PCS No.28
7	Sodium dichromate	234-190-3 —	10588-01-9 (anhydrate) 7789-12-0 (dihydrate)	Pigment, dye	PCS No.2
8	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	201-329-4	81-15-2	Perfume	
9	Bis (2-ethylhexyl) phthalate (DEHP)	204-211-0	117-81-7	Plasticizer	PCS No.26
	Hexabromocyclododecane (HBCD) and all major diastereoisomers identified:	247-148-4	25637-99-4		
		221-695-9	3194-55-6		DOO
10		_	134237-50-6	Flame retarder	PCS No.23
	α-HBCD β-HBCD	_	134237-51-7		
	γ-HBCD	_	134237-52-8		
11	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCPs)	287-476-5	85535-84-8	Plasticizer, flame retarder	(1) PCS No.10
12	Bis(tributyltin)oxide (TBTO)	200-268-0	56-35-9	Wood preservative, paint, pigment, antistatic agent, foaming agent	PCS No.12
13	Lead hydrogen arsenate	232-064-2	7784-40-9	Wood preservative, addition agent for glass and electronic component	(7) PCS No.3, 28
14	Benzyl butyl phthalate (BBP)	201-622-7	85-68-7	Plasticizer, ink, adhesive	PCS No.26
15	Triethyl arsenate	427-700-2	15606-95-8	Wood preservative, addition agent for glass and electronic component	(7) PCS No.28

No. Substance name EC No. CAS No. Examples of use Remarks		Cs of REACH Regulation (continued)		CACN	Evenueles of	Down
Anthracene oil, anthracene paste, distin. 295-278-5 9195-17-4	_				•	Remarks
18						
19	17	lights	295-278-5	91995-17-4	of carbon black,	
20	18	anthracene fraction	295-275-9	91995-15-2	fuel), impregnation	
20	19	Anthracene oil, anthracene-low	292-604-8	90640-82-7		
Pitch, coal tar, high temp. 266-028-2 65996-93-2 2	20	Anthracene oil, anthracene paste	292-603-2	90640-81-6	special application	
22	21	Pitch, coal tar, high temp.	266-028-2	65996-93-2	heavy duty corrosion protection agent, medicinal preparation	
201-053-2	22	2,4-Dinitrotoluene	204-450-0	121-14-2	the production of toluene	
Description	23	Diisobutyl phthalate	201-553-2	84-69-5		
25	24		231-846-0	7758-97-6		
Calcad sulfochromate yellow (TCEP) Calcad yellow (TCEP)	25	(C.I. Pigment Red 104)	235-759-9	12656-85-8	dye,	
27 CTCEP 204-118-5	26	(C.I. Pigment Yellow 34)	215-693-7	1344-37-2		ŕ
28	27		204-118-5	115-96-8		
201-107-4 79-01-0 degreasing agent 233-139-2 233-139-2 234-343-4 11113-50-1 1303-96-4 12267-73-1 2267-73-1	28	Acrylamide	201-173-7	79-06-1	polyacrylamide composition	
30 Boric acid 233-139-2 10043-35-3 11113-50-1 1303-96-4 1303-96-1 1303-96-	29	Trichloroethylene	201-167-4	79-01-6		
Disodium tetraborate, anhydrous 215-540-4 1330-43-4 12179-04-3 addition agent for glass and ceramics (7)	30	Boric acid				
32	31	Disodium tetraborate, anhydrous	215-540-4	1330-43-4	paint, disinfectant,	(7)
Sodium chromate 231-889-5 7775-11-3 dye No.2	32		235-541-3	12267-73-1	glass and ceramics	
Polassium chromate 232-140-5 7789-00-6 pigment, ink No.2	33	Sodium chromate	231-889-5	7775-11-3	dye	No.2
No.2 Solvent, paint, surface treatment Solvent, paint, surface treatment Solvent, paint, surface fluid Solvent, paint, surface fluid Solvent, paint, paint, surface fluid Solvent, paint, paint, paint, surface fluid Solvent, paint, paint, paint, paint, oxidising agent Solvent, paint, paint, oxidising agent Solvent, paint, paint, oxidising agent Solvent, paint, pai	34	Potassium chromate	232-140-5	7789-00-6		No.2
36 Potassium dichromate 231-906-6 7778-50-9 Metal treatment No.2 37 Cobalt(II) sulphate 233-334-2 10124-43-3 38 Cobalt(II) dinitrate 233-402-1 10141-05-6 39 Cobalt(II) carbonate 208-169-4 513-79-1 40 Cobalt(II) diacetate 200-755-8 71-48-7 41 2-Methoxyethanol 203-713-7 109-86-4 513-79-1 42 2-Ethoxyethanol 203-804-1 110-80-5 brake fluid 43 Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: 231-801-5 Group containing: 236-881-5 not yet assigned PCS No.2 44 Oligomers of chromic acid Oligomers Oligome	35	Ammonium dichromate	232-143-1	7789-09-5	Oxidising agent,	No.2
38 Cobalt(II) dinitrate 233-402-1 10141-05-6 39 Cobalt(II) carbonate 208-169-4 513-79-1 40 Cobalt(II) diacetate 200-755-8 71-48-7 41 2-Methoxyethanol 203-713-7 109-86-4 42 2-Ethoxyethanol 203-804-1 110-80-5 43 Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: 236-881-5 not yet Dichromic acid Oligomers of chromic acid olichromic acid olichromic acid and dichromic acid Catalyst, pigment, paint, surface treatment Catalyst, paint, surface treatment Catalyst, paint, surface treatment Catalyst, paint, surface treatment	36	Potassium dichromate	231-906-6	7778-50-9	Metal treatment	
39 Cobalt(II) carbonate 208-169-4 513-79-1 40 Cobalt(II) diacetate 200-755-8 71-48-7 41 2-Methoxyethanol 203-713-7 109-86-4 42 2-Ethoxyethanol 203-804-1 110-80-5 43 Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: 236-881-5 not yet assigned Oligomers of chromic acid oligomers oligomers of chromic acid oligomers olig	37	Cobalt(II) sulphate	233-334-2	10124-43-3		
Cobalt(II) carbonate 208-169-4 513-79-1 surface treatment Cobalt(II) diacetate 200-755-8 71-48-7 2-Methoxyethanol 203-713-7 109-86-4 Solvent, brake fluid Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: -Chromic acid -Dichromic acid -Oligomers of chromic acid and dichromic acid dichromic acid Cobalt(II) diacetate 200-755-8 71-48-7 Solvent, brake fluid Chrome plating, pigment, paint, oxidising agent PCS No.2	38	Cobalt(II) dinitrate	233-402-1	10141-05-6		
40 Cobalt(II) diacetate 200-755-8 71-48-7 41 2-Methoxyethanol 203-713-7 109-86-4 Solvent, brake fluid 42 2-Ethoxyethanol 203-804-1 110-80-5 43 Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: 231-801-5 not yet assigned Oligomers of chromic acid Oligomers of chromic acid and dichromic acid 100-86-4 Solvent, brake fluid Chromium trioxide 215-607-8 1333-82-0 Chrome plating, pigment, paint, oxidising agent No.2	39	Cobalt(II) carbonate	208-169-4	513-79-1		
42 2-Ethoxyethanol 203-804-1 110-80-5 brake fluid 43 Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: 236-881-5 not yet oblichromic acid Oligomers of chromic acid and dichromic acid oligomers of chromic acid and dichromic acid oligomers acid oligomers of chromic acid oligomers olig	40	Cobalt(II) diacetate	200-755-8	71-48-7		
42 2-Ethoxyethanol 203-804-1 110-80-5 brake fluid 43 Chromium trioxide 215-607-8 1333-82-0 Acids generated from chromium trioxide and their oligomers Group containing: 231-801-5 13530-68-2 not yet assigned Chromic acid Oligomers of chromic acid and dichromic acid Chrome plating, pigment, paint, oxidising agent PCS No.2	41	2-Methoxyethanol	203-713-7	109-86-4	Solvent,	
Acids generated from chromium trioxide and their oligomers Group containing: Chromic acid Oligomers of chromic acid Oligomers of chromic acid Acids generated from chromium trioxide 231-801-5 236-881-5 13530-68-2 not yet assigned Chrome plating, pigment, paint, oxidising agent No.2 PCS No.2	42	2-Ethoxyethanol	203-804-1	110-80-5		
and their oligomers Group containing: Chromic acid Oligomers of chromic acid dichromic acid Chrome plating, pigment, paint, oxidising agent 231-801-5 236-881-5 not yet assigned Chrome plating, pigment, paint, oxidising agent No.2 PCS No.2	43	Chromium trioxide	215-607-8	1333-82-0		
45 2-ethoxyethyl acetate 203-839-2 111-15-9 Paint solvent	44	and their oligomers Group containing: •Chromic acid •Dichromic acid •Oligomers of chromic acid and	236-881-5 not yet	13530-68-2 not yet	pigment, paint,	
	45	2-ethoxyethyl acetate	203-839-2	111-15-9	Paint solvent	

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks	
46	Strontium chromate	232-142-6	7789-06-2	anti-rust	PCS No.2	
47	1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP)	271-084-6	68515-42-4	Plasticiser, foam, adhesive, paint		
48	Hydrazine	206-114-9	302-01-2 7803-57-8	Reducing agent, rocket fuel		
49	1-methyl-2-pyrrolidone	212-828-1	872-50-4	Solvent, detergent	PCS No.30	
50	1,2,3-trichloropropane	202-486-1	96-18-4	Solvent, paint		
51	1,2-Benzenedicarboxylic acid di-C6-8- branched alkyl esters, C7-rich	276-158-1	71888-89-6	Plasticiser, sealant, paint, ink	PCS No.30	
52	Lead styphnate	239-290-0	15245-44-0	Initiator or booster		
53	Lead azide Lead diazide	236-542-1	13424-46-9	in detonators for both civilian and	PCS No.3	
54	Lead dipicrate	229-335-2	6477-64-1	military uses	140.0	
55	Phenolphthalein	201-004-7	77-09-8	PH indicator		
56	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	202-918-9	101-14-4	Curing agent in resins and in the production of polymer article	PCS No.18	
57	N,N-dimethylacetamide (DMAC)	204-826-4	127-19-5	Solvent, thin film, ink remover		
58	Trilead diarsenate	222-979-5	3687-31-8	Trioxide arsenic production intermediate	PCS No.3, 28	
59	Calcium arsenate	231-904-5	7778-44-1	Trioxide arsenic production	PCS No.28	
60	Arsenic acid	231-901-9	7778-39-4	Glass and ceramic additive, copper foil of the printed circuit board	(7) PCS No.28	
61	Bis(2-methoxyethyl) ether	203-924-4	111-96-6	Solvent for battery electrolytes, adhesive		
62	1,2-Dichloroethane	203-458-1	107-06-2	Solvent for the chemical and pharmaceutical industry		
63	4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol)	205-426-2	140-66-9	Adhesive, coating, ink, rubber article		
64	2-Methoxyaniline; o-Anisidine	201-963-1	90-04-0	Dye	PCS No.18	
65	Bis(2-methoxyethyl) phthalate	204-212-6	117-82-8	Polymeric material, paint, plasticiser	PCS No.30	
66	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	500-036-1	25214-70-4	Hardener for epoxy resin		
67	Zirconia Aluminosilicate, Refractory Ceramic Fibres (Zr-RCF)	_	_	Heat shield, auto parts,	(2)	
68	Aluminosilicate Refractory Ceramic Fibres (RCF)	_	_	aerospace products	(3)	
69	Pentazinc chromate octahydroxide	256-418-0	49663-84-5	Coating for auto	PCS	
70	Potassium hydroxyoctaoxodizincatedi- chromate	234-329-8	11103-86-9	parts / aerospace No.		
71	Dichromium tris(chromate)	246-356-2	24613-89-6	Mixtures for metal surface treatment in the steel and aluminium	PCS No.2	
72	1,2-bis(2-methoxyethoxy) ethane (Triglyme)	203-977-3	112-49-2	Solvent, refrigerant, absorbent		

No.	Cs of REACH regulation (continued) Substance name	EC No.	CAS No.	Examples of use	Remarks	
	1,2-dimethoxyethane;			Solvent, ectrolyte of		
73	Ethylene glycol dimethyl ether (EGDME)	203-794-9	110-71-4	lithium battery, refrigerant		
74	Diboron trioxide	215-125-8	1303-86-2	Glass, ceramic, flame retardant, catalyst, adhesive	(7)	
75	Formamide	200-842-0	75-12-7	Solvent, reagent, plasticizer		
76	Lead (II) bis(methanesulfonate)	401-750-5	17570-76-2	Plating process for the printed circuit board	PCS No.3	
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	219-514-3	2451-62-9	Hardener for resin and paint, Electrical		
78	β-TGIC (1,3,5-tris[(2S and 2R)- 2,3- epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione)	423-400-0	59653-74-6	insulation material, adhesive, plastic stabilizer		
79	4,4'-bis(dimethylamino)benzophenone (Michler's Ketone)	202-027-5	90-94-8	Photoresponsive additive for dye and pigment		
80	N, N, N', N'- tetramethyl -4, 4' - methylenedianiline (Michler's Base)	202-959-2	101-61-1	Intermediate in production such as the dye		
81	[4-[[4-anilino-1-naphthyl][4- (dimethylamino)phenyl]methylene]cyclo hexa-2,5-dien-1- ylidene]dimethylammonium chloride (C.I. Basic Blue 26)	219-943-6	2580-56-5	Dye, paint, ink	(4)	
82	[4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1- ylidene] dimethylammonium chloride (C.I. Basic Violet 3)	208-953-6	548-62-9	Dye, paint, ink	(4) PCS No.30	
83	4,4'-bis(dimethylamino)-4"- (methylamino)trityl alcohol	209-218-2	561-41-1	Dye, paint, ink	(4)	
84	α, α-Bis[4-(dimethylamino)phenyl]- 4(phenylamino)naphthalene-1- methanol (C.I. Solvent Blue 4)	229-851-8	6786-83-0	lnk	(4)	
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	214-604-9	1163-19-5	Flame retardant	PCS No.6	
86	Pentacosafluorotridecanoic acid	276-745-2	72629-94-8			
87	Tricosafluorododecanoic acid	206-203-2	307-55-1	Fluorochemical	PCS	
88	Henicosafluoroundecanoic acid	218-165-4	2058-94-8	surfactant	No.35	
89	Heptacosafluorotetradecanoic acid	206-803-4	376-06-7			
90	Diazene-1,2-dicarboxamide (C, C'-azodi(formamide))	204-650-8	123-77-3	Foaming agent for rubber and synthetic resin		
	Cyclohexane-1,2-dicarboxylic anhydride	201-604-9	85-42-7			
91	Cis-cyclohexane-1,2-dicarboxylic anhydride	236-086-3	13149-00-3	Plasticizer, resin reforming agent		
	Trans-cyclohexane-1,2-dicarboxylic anhydride	238-009-9	14166-21-3			
	Hexahydromethylphthalic anhydride	247-094-1	25550-51-0			
92	Hexahydro-4-methylphthalic anhydride	243-072-0	19438-60-9	Epoxy resin curing		
\\ \frac{1}{2}	Hexahydro-1-methylphthalic anhydride	256-356-4	48122-14-1	agent, paint		
	Hexahydro-3-methylphthalic anhydride	260-566-1	57110-29-9			
93	4-Nonylphenol, branched and linear	_	_	Surfactant, ink, paint		
94	4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated	_	_	Surfactant		

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
95	Methoxyacetic acid	ethoxyacetic acid 210-894-6 625-45-6 Synthetic intermediate			
96	N, N-dimethylformamide	200-679-5	68-12-2	Synthetic leather, solvent	PCS No.30
97	Dibutyltin dichloride (DBTC)	211-670-0	683-18-1	Intermediate of vinyl chloride stabilizer, catalyst	PCS No.13
98	Lead monoxide (Lead oxide)	215-267-0	1317-36-8	Pigment,	(7)
99	Orange lead (Lead tetroxide)	215-235-6	1314-41-6	vinyl chloride stabilizer, synthetic rubber accelerator Glass raw material	(7) PCS No.3
100	Lead bis(tetrafluoroborate)	237-486-0	13814-96-5	Plating agent	PCS No.3
101	Trilead bis(carbonate)dihydroxide	215-290-6	1319-46-6		(7)
102	Lead titanium trioxide	235-038-9	12060-00-3	Electroceramic materials	PCS
103	Lead titanium zirconium oxide	235-727-4	12626-81-2	Illaterials	No.3
104	Silicic acid, lead salt	234-363-3	11120-22-2	Material of glass, pigment, paint, drying agent	(7) PCS No.3
105	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped	272-271-5	68784-75-8	Fluorescent material of lamp	(5) PCS No.3
106	1-bromopropane (n-propyl bromide)	203-445-0	106-94-5	Medicine, agricultural chemicals, washing solvent	PCS No.15
107	Methyloxirane (Propylene oxide)	200-879-2	75-56-9	Resin material, solvent	
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	284-032-2	84777-06-0	Plasticizer	
109	Diisopentylphthalate (DIPP)	210-088-4	605-50-5	Plasticizer	PCS No.30
110	N-pentyl-isopentylphthalate	_	776297-69-9		
111	1,2-diethoxyethane	211-076-1	629-14-1	Ink, solvent for paint	
112	Acetic acid, lead salt, basic	257-175-3	51404-69-4	Synthetic intermediate, rust preventive pigment	PCS No.3
113	Lead oxide sulfate	234-853-7	12036-76-9	Electrode material for battery	PCS No.3
114	[Phthalato (2-)] dioxotrilead	273-688-5	69011-06-9	io. same.y	. 10.0
115	Dioxobis(stearato)trilead	235-702-8	12578-12-0	Stabilizer for PVC	PCS No.3
116	Fatty acids, C16-18, lead salts	292-966-7	91031-62-8		110.3
117	Lead cynamidate	244-073-9	20837-86-9	Rust preventive pigment	PCS No.3
118	Lead dinitrate	233-245-9	10099-74-8	Synthetic material, material of optical glass	(7) PCS No.3
119	Pentalead tetraoxide sulphate	235-067-7	12065-90-6	Electrode material for battery, stabilizer for PVC	PCS No.3
120	Pyrochlore, antimony lead yellow	232-382-1	8012-00-8	Pigment PCS No.3	
121	Sulfurous acid, lead salt, dibasic	263-467-1	62229-08-7	Stabilizer for PVC	PCS No.3
122	Tetraethyllead	201-075-4	78-00-2	Gasoline additive	PCS No.3
123	Tetralead trioxide sulphate	235-380-9	12202-17-4	Stabilizer for PVC	PCS No.3

No.	Cs of REACH regulation (continued) Substance name	EC No.	CAS No.	Examples of use	Remarks	
124	Trilead dioxide phosphonate	235-252-2	12141-20-7	Stabilizer for PVC	PCS	
125	Furan	203-727-3	110-00-9	Raw material of synthetic resin, solvent, cleaning agent	No.3	
126	Diethyl sulphate	200-589-6	64-67-5	Ethylating agent, lenitive dehydrating agent		
127	Dimethyl sulphate	201-058-1	77-78-1	Methylation agent, medicine		
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3- oxazolidine	421-150-7	143860-04-2			
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	201-861-7	88-85-7	Polymer raw material		
130	4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	Curing agent for resin, synthetic resin intermediate	PCS No.18	
131	4,4'-oxydianiline and its salts	202-977-0	101-80-4	Raw material of polyimide resin	PCS No.18	
132	4-aminoazobenzene	200-453-6	60-09-3			
133	4-methyl-m-phenylenediamine (toluene- 2,4-diamine)	202-453-1	95-80-7			
134	6-methoxy-m-toluidine (p-cresidine)	204-419-1	120-71-8	Dye	PCS	
135	Biphenyl-4-ylamine	202-177-1	92-67-1	Буе	No.18	
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	202-591-2	97-56-3			
137	o-toluidine	202-429-0	95-53-4			
138	N-methylacetamide	201-182-6	79-16-3	solvent		
139	Cadmium	231-152-8	7440-43-9	Pigment, battery, alloy, plating	PCS No.1	
140	Cadmium oxide	215-146-2	1306-19-0	Pigment, catalyst, battery	PCS No.1	
141	Ammonium pentadecafluorooctanoate (APFO)	223-320-4	3825-26-1	Surface treatment agent, surfactant, water repellent		
142	Pentadecafluorooctanoic acid (PFOA)	206-397-9	335-67-1	Water repellent, Surface treatment agent,	PCS No.24	
143	Dipentyl phthalate (DPP)	205-017-9	131-18-0	Plasticizer	PCS No.30	
144	4-Nonylphenol, branched and linear, ethoxylated	_	_	Surfactant	(6)	
145	Cadmium sulphide	215-147-8	1306-23-6	Pigment	PCS No.1	
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)] bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	209-358-4	573-58-0	Dye	PCS No.18	
147	Disodium 4-amino-3- [[4'-[(2,4-d iaminophenyl)azo] [1,1'-biphenyl]-4-yl] azo] -5-hydroxy-6-(phenylazo) naphthalene-2,7-disulphonate (C.I. Direct Black 38)	217-710-3	1937-37-7	Dye	PCS No.18	
148	Dihexyl phthalate (DHP)	201-559-5	84-75-3	Plasticizer PCS No.3		
149	Imidazolidine-2-thione(2-imidazoline-2-thiol)	202-506-9	96-45-7	Vulcanisation accelerator		
150	Lead di(acetate)	206-104-4	301-04-2	Waterproofing PCS agent, reagent No.3		
151	Trixylyl phosphate	246-677-8	25155-23-1	Plasticizer		

152 153	Cadmium chloride				Remarks	
152	Cadmium chionde	233-296-7	10108-64-2	Plasticizer	PCS No.1	
133	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (DIHP)	Plating, catalyst	INO. I			
154	Sodium peroxometaborate	231-556-4	7632-04-4			
155	Sodium perborate; perboric acid, sodium salt	239-172-9; 234-390-0	_	Antiseptic, bleach, disinfectant		
156	Cadmium fluoride	232-222-0	7790-79-6	Manufacture of alloy	PCS No.1	
157	Cadmium sulphate	233-331-6	10124-36-4; 31119-53-6	Reagent, battery	PCS No.1	
158	2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320)	223-346-6	3846-71-7	Liltravialet ebeerber	PCS No.22	
159	2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)	247-384-8	25973-55-1	Ultraviolet absorber	PCS No.41	
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo- 8-oxa-3,5-dithia-4- stannatetradecanoate	239-622-4	15571-58-1			
161	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	I	_	Stabilizer for PVC	PCS No.14	
162	1,2-benzenedicarboxylic acid, di-C6-10- alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	271-094-0 272-013-1	68515-51-5 68648-93-1	Plasticizer, lubricating oil		
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	_	Perfume		
164	Nitrobenzene	202-716-0	98-95-3	Raw material of aniline, solvent		
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol- 2-yl) phenol (UV-327)	223-383-8	3864-99-1	UV-protection agent		
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6- (sec-butyl) phenol (UV-350)	253-037-1	36437-37-3	UV-protection agent		
167	1,3-propanesultone	214-317-9	1120-71-4	Electrolyte fluid of lithium ion battery		
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	206-801-3	375-95-1 21049-39-8 4149-60-4	Processing aid for fluoropolymer manufacture, lubricating oil additive, cleaning agent	PCS No.35	
169	Benzo[def]chrysene (Benzo[a]pyrene)	200-028-5	50-32-8	Adhesive, paint, waterproofing agent	PCS No.25	
170	4,4'-isopropylidenediphenol (bisphenol A; BPA)	201-245-8	80-05-7	Raw material of polycarbonate and epoxy resin, plasticizer, antioxidant		
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	206-400-3 - 221-470-5	335-76-2 3830-45-3 3108-42-7	Lubricant, wetting agent, plasticizer, preservative	PCS No.35	

No.	Cs of REACH regulation (continued) Substance name	EC No.	CAS No.	Examples of use	Remarks
172	p-(1,1-dimethylpropyl) phenol	201-280-9	80-46-6	Dye intermediate, Rubber chemical, surfactant, photographic film	
173	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	_	_	Lubricant additive	
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	_	_	Carpet, leather, Textile, paper, plating, electronic parts	PCS No.36
175	Chrysene	205-923-4	218-01-9 1719-03-5	Component of coal	PCS
176	Benz[a]anthracene	200-280-6	56-55-3 1718-53-2	tar, paint, fuel	No.25
177	Cadmium nitrate	233-710-6	10325-94-7 10022-68-1 (tetrahydrate)	Colorant for ceramics, battery, synthetic intermediate, emulsion for photograph, adhesive	PCS No.1
178	Cadmium hydroxide	244-168-5	21041-95-2	Material of battery	PCS No.1
179	Cadmium carbonate	208-168-9	513-78-0	Stabilizer for PVC, additive of glass	PCS No.1
180	Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca- 7,15-diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	_	_	Adhesive, sealant flame retardant	PCS No.40
181	Reaction products of 1,3,4- thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥ 0.1% w/w 4-heptylphenol, branched and linear]	_	_	Lubricant additive, mold release agent, grease	
182	Octamethylcyclotetrasiloxane (D4)	209-136-7	556-67-2	Cleaning agent, wax, cosmetics, personal care product	
183	Decamethylcyclopentasiloxane (D5)	208-764-9	541-02-6	Cleaning agent, wax, cosmetics, personal care product, fiber treatment agent,dye	
184	Dodecamethylcyclohexasiloxane (D6)	208-762-8	540-97-6	Cleaning agent, wax, cosmetics, personal care product	
185	Lead	231-100-4	7439-92-1	Metal, solder, plating, paint, resin additive PCS	
186	Disodium octaborate	234-541-0	12008-41-2	Anti-freezing agent, lubricating oil, grease, cleaning agent	

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks	
187	Benzo[ghi]perylene	205-883-8	191-24-2	Color pigment of rubber and plastic		
188	Terphenyl hydrogenated	262-967-7	61788-32-7	Heating medium, solvent, adhesive, sealing material, resin additive		
189	Ethylenediamine (EDA)	203-468-6	107-15-3	Adhesives, sealing agent, filler, putty, plaster		
190	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	209-008-0	552-30-7	Production of esters and polymers		
191	Dicyclohexyl phthalate (DCHP)	201-545-9	84-61-7	Plasticizer		
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	401-720-1	6807-17-6	Synthetic resin additives, Liquid crystal material, photosensitizer, polycarbonate resin raw material		
193	Benzo[k]fluoranthene	205-916-6	207-08-9	Petroleum fuel such	PCS No.25	
194	Fluoranthene	205-912-4	206-44-0	as kerosene and light oil,		
195	Phenanthrene	201-581-5	85-01-8	color pigments of		
196	Pyrene	204-927-3	129-00-0	rubber and plastic		
197	1,7,7-trimethyl-3-(phenylmethylene) bicyclo[2.2.1]heptan-2-one (3- benzylidene camphor)	239-139-9	15087-24-8	Cosmetics, sunscreen		
198	2-methoxyethyl acetate	203-772-9	110-49-6	Solvent for cleaning electronic materials, for printing ink/ paint and for adhesive		
199	Tris (4-nonylphenyl, branched and linear) phosphite (TNPP) with ? 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	_	_	Antioxidant to stabilize polymers		
200	2,3,3,3-tetrafluoro-2- (heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	_	_	Processing aid in the production of fluorinated polymers		
201	4-tert-butylphenol	202-679-0	98-54-4	Paint product, polymer, adhesive, encapsulant		
202	2-benzyl-2-dimethylamino-4'- morpholinobutyrophenone	404-360-3	119313-12-1	Photopolymerizing agent,		
203	2-methyl-1-(4-methylthiophenyl)-2- morpholinopropan-1-one	400-600-6	71868-10-5	UV curing agent		
204	Diisohexyl phthalate	276-090-2	71850-09-4	Plasticizer		
205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	_	Water repellent, surface treatment agent, antifouling agent, fire extinguisher, coating agent		
206	1-vinylimidazole	214-012-0	1072-63-5	Curing agent for epoxy resin, industrial fungicide,		
207	2-methylimidazole	211-765-7	693-98-1	anti-rust, pharmaceutical raw material		
208	Dibutylbis (pentane-2,4-dionato-O, O') tin	245-152-0	22673-19-4	Plastic stabilizers, resin synthesis catalyst PCS No.13		

No.	Cs of REACH regulation (continued) Substance name	EC No.	CAS No.	Examples of use	Remarks
209	Butyl 4-hydroxybenzoate (Butylparaben)	202-318-7	94-26-8	Preservative, preservatives for cosmetics and pharmaceuticals	
210	Bis(2-(2-methoxyethoxy) ethyl) ether	205-594-7	143-24-8	Solvent, extractant	
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	I	_	The single component form of this substance (dioctyltin dilaurate) is used as an additive in the	PCS No.14
	Stannane, dioctyl-, bis(coco acyloxy) derivs	293-901-5	91648-39-4	production of plastic	
	Dioctyltin dilaurate	222-883-3	3648-18-8	and rubber tires.	
	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	_	Preparation of	
212	Phenol, 4-dodecyl, branched	_	210555-94-5	lubricant additive	
212	4-isododecyl phenol	_	27459-10-5	materials and fuel	
	Phenol, 4-iso dodecyl		27147-75-7	system cleaners	
	Phenol, dodecyl-, branched	_	121158-58-5		
	Phenol, (tetrapropenyl) derivative	310-154-3	74499-35-7		
	Phenol, tetrapropylene-	1	57427-55-1		
	Orthoboric acid, sodium salt	_	_		
	boric acid (H3BO3), sodium salt, hydrate	1	25747-83-5	1	
	Boric acid (H3BO3), disodium salt	_	22454-04-2		
213	Trisodium orthoborate	238-253-6	14312-40-4	Solvent, corrosion inhibitor	
	Boric acid, sodium salt	215-604-1	1333-73-9	CONTOSION INITIDICO	
	Orthoboric acid, sodium salt	237-560-2	13840-56-7		
	Boric acid (H3BO3), sodium salt (1:1)	I	14890-53-0		
214	Medium-chain chlorinated paraffins (MCCP) UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14to C17	-	_	Chlorinated flame retardants, flame retardant plasticizers, sealant, rubber,	
	Alkanes, C14-16, chloro	_	1372804-76-6	textile,	
	Alkanes, C14-17, chloro	287-477-0	85535-85-9	thermoplastic, paint,	
	di-, tri- and tetrachlorotetradecane	950-299-5	950-299-5	varnish	
	Tetradecane, chloro derivs	_	198840-65-2		
215	Glutaral	203-856-5	111-30-8	Biocide, leather tanning, X-ray film developing process, cosmetic	
216	4,4'-(1-methyl propylidene) bisphenol; (bisphenol B)	201-025-1	77-40-7	Production of phenolic and polycarbonate resins	
	2-(4-tert-butylbenzyl) propionaldehyde and its individual stereoisomers	_	_	Use in detergents,	
217	(2R)-3-(4-tert-butylphenyl)-2- methylpropanal		75166-31-3	cosmetics, perfumed articles,	
	2-(4-tert- butylbenzyl) propionaldehyde	201-289-8	80-54-6	abrasives and wax	
	(2S)-3-(4-tert-butylphenyl)-2- methylpropanal	_	75166-30-2	mixtures	

No.	HCs of REACH regulation (continued) Substance name EC No. CAS No. Examples of use					
NO.	2,2-bis(bromomethyl)propane1,3-diol			Examples of use	Remarks	
	(BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-	221-967-7 253-057-0	3296-90-0 36483-57-5	Manufacture of		
218	bis(bromomethyl)-1-propanol (TBNPA)	_ 1522.02.5		plastic products and chemicals		
	2,3-dibromo-1-propanol (2,3-DBPA)	202-480-9	96-13-9			
219	1,4-dioxane	204-661-8	123-91-1	Solvent		
220	6,6'-di-tert-butyl-2,2'-methylenedi-p- cresol (DBMC)	204-327-1	119-47-1	Rubber, lubricating oil, adhesives, ink, fuel		
221	tris(2-methoxyethoxy)vinylsilane	213-934-0	1067-53-4	Rubber, plastics, sealant		
222	N-(hydroxymethyl)acrylamide	213-103-2	924-42-5	As a monomer for polymerisation, as a fluoroalkyl acrylate copolymer, and in paints and coatings		
	(±)-1,7,7-trimethyl-3-[(4-methylphenyl) methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	_	_			
	(±)-1,7,7-trimethyl-3-[(4-methylphenyl) methylene]bicyclo[2.2.1]heptan-2-one	253-242-6	36861-47-9			
	(3E)-1,7,7-trimethyl-3-(4- methylbenzylidene)bicyclo[2.2.1]heptan -2-one	_	1782069-81- 1			
223	(1R,3E,4S)-1,7,7-trimethyl-3-(4- methylbenzylidene)bicyclo[2.2.1]heptan -2-one	_	95342-41-9	Cosmetics		
223	(1S,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan -2-one	_	852541-30-1	Cosmetics		
	(1R,3Z,4S)-1,7,7-trimethyl-3-(4- methylbenzylidene)bicyclo[2.2.1]heptan -2-one	_	852541-21-0			
	(1R,4S)-1,7,7-trimethyl-3-(4- methylbenzylidene)bicyclo[2.2.1]heptan -2-one	_	741687-98-9			
	(1S,3Z,4R)-1,7,7-trimethyl-3-(4- methylbenzylidene)bicyclo[2.2.1]heptan -2-one	_	852541-25-4			
224	S-(tricyclo [5.2.1.0'2,6] deca-3- en-8(or 9)-yl) O-(isopropyl or isobutyl or 2- ethylhexyl) O-(isopropyl or isobutyl or 2- ethylhexyl) phosphorodithioate	401-850-9	255881-94-8	Lubricating oil, grease		
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	253-692-3	37853-59-1	Additive flame retardants		
226	2,2',6,6'-tetrabromo-4,4'- isopropylidenediphenol	201-236-9	79-94-7	Reactive flame retardants		
227	4,4'-sulphonyldiphenol	201-250-5	80-09-1	Thermal paper, leather tanning		
228	Barium diboron tetraoxide	237-222-4	13701-59-2	Coatings and		
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof;	-	-	Rubber products, Additive flame retardant for plastic		
	bis(2-ethylhexyl) etrabromophthalate ;TBPH	247-426-5	26040-51-7	products, plasticizer		
230	Isobutyl 4-hydroxybenzoate	224-208-8	4247-02-3	Coating products, Filler, Putty, ink, toner, plaster, modeling clay		

No.	Substance name	EC No.	CAS No.	Examples of use	Remarks
231	Melamine	203-615-4	108-78-1	Raw materials for thermosetting resin	
	Perfluoroheptanoic acid and its salts	-	-		
232	Sodium perfluoroheptanoate	243-518-7	20109-59-5		
232	potassium perfluoroheptanoat	-	21049-36-5	_	
	Ammonium perfluoroheptanoate	228-098-2	6130-43-4		
233	reaction mass of 2,2,3,3,5,5,6,6- octafluoro-4-(1,1,1,2,3,3,3- heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4- (heptafluoropropyl)morpholine	473-390-7	-	-	
234	Diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	278-355-8	75980-60-8	Ink, toner, Polymer, Photochemical, Coating products, Adhesives, Fillers, Sealants, Putty, Plaster, Modeling clay	
235	Bis(4-chlorophenyl) sulphone	201-247-9	80-07-9	Chemicals, Plastic products, Manufacture of rubber products	

Notes:

- (1) Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) is abbreviated to SCCPs. Here, the short chain corresponds to carbon number 10 to 13 (as the medium chain and long chain correspond to carbon number 14 to 19 and 20 to 30, respectively). SCCPs are a persistent and high-bioaccumulative substance used for various purposes because it has flame retardant properties, plasticity, lubricating properties in metallic processing, and hydrophobicity.
- (2) Refractory Ceramic Fibers, Zirconia Aluminiumsilicate are fibers covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of December 16, 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions:
 - a) oxides of aluminium and silicon are the main components present (in the fibers) within variable concentration ranges
 - b) fibers have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm)
 - c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight
- (3) Refractory Ceramic Fibers, Aluminosilicate are fibers covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of December 16, 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions:
 - a) oxides of aluminium, silicon and zirconium are the main components present (in the fibers) within variable concentration ranges
 - b) fibers have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm)
 - c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight
- (4) Those substances are identified as SVHCs in case [with ≥0.1% of Michler's ketone (EC No.202-027-5) or Michler's base (EC No.202-959-2)].
- (5) This substance is identified as a SVHC in the following case: with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008.
- (6) Those substances are substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof.
- (7) According to the REACH regulation, glass and ceramics are one substance, not a mixture of several substances. Even if SVHCs are used as raw materials, the individual raw materials and the glass as a melt reaction product are different substances, so there is no need to communicate information on individual raw materials (SVHCs).

		Revision History
Date	Edition	Description
April 1, 2020	2.0	-Changed contents of I -1- (1) Prohibited Chemical Substances (No.11,13,14,20,21,24)Updated the expiration dates in I -1- (1) Annex 1" Applications exempted from the RoHS Directive Annex III" and added No.42-44Updated the expiration dates in I -1- (1) Annex 2" Applications exempted from the RoHS Directive Annex IV "Added I -2- (1) Controlled Chemical Substances No.11 -Added 4 substances of 21th SVHC and 4 substances of 22th SVHC to "I -2- (2) SVHCs of REACH Regulation".
November 1, 2021	· ·	
December 1, 2022	2.3	-Revised and added contents of I -1.Prohibited Chemical Substances (No.3,24,27,31)Added No.36-37 of I -1.Prohibited Chemical SubstancesUpdated the expiration dates in I -1. Annex 1" Applications exempted from the RoHS Directive Annex III" and added (3) -Updated the expiration dates in I -1. Annex 2" Applications exempted from the RoHS Directive Annex IV" -Deleted No.11 of I -2- (1) Controlled Chemical SubstancesAdded No.15-19 of I -2- (1) Controlled Chemical SubstancesAdded 4 substances of 26th SVHC and 1 substance of 27th SVHC in "I -2- (2) SVHCs of REACH Regulation".
December 1, 2023	2.4	-Revised and added contents of I -1. Prohibited Chemical Substances (No.1-4,26,31,35,36,37)Added No38-42 of I -1. Prohibited Chemical SubstancesUpdated the expiration dates in I -1. Annex 1" Applications exempted from the RoHS Directive Annex III"Updated the expiration dates in I -1. Annex 2" Applications exempted from the RoHS Directive Annex IV " -Deleted No.12,17,19 of I -2- (1) Controlled Chemical SubstancesAdded No.17,18 of I -2- (1) Controlled Chemical SubstancesAdded 9 substances of 28th SVHC and 2 substances of 29th SVHC in "I -2- (2) SVHCs of REACH Regulation".